

Certificate of Compliance

Certificate Number(s):

UL-US-L199260-11-
21107002-18

Report Reference:

E199260-20070112

Issue Date:

2026-04-22

Issued to:

BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,
Arnavutkoy, ISTANBUL, 34555, TR

This certificate confirms that representative samples of:

QCRV - Outlet Bushings and Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 514B, Edition 6, Issue Date 2012-07-13, Revision Date 2024-03-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L199260-11-21107002-18
Report reference: E199260-20070112
Issue Date: 2026-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Liquid tight flexible cord fittings

Model(s): BMSC-04

Liquid-Tight Flexible Cord Connectors

Model(s): BNEM-E6 (NPT1 1/2"T), BNBC-02, BSBC-06, BNBC-03, BSBC-07, BMBC-02, BMBC-03, BMBC-04, BMBC-05, BMEM-E2 (M20T), BMEM-E2S (M20T), BMEM-E4 (M32T), BMEM-E6 (M50T), BMEMX-E2, BMEM-E7 (M63T), BMEM-E7L (M63T), BMEMX-E3, BMBE-07S, BMEM-E3 (M25T), BMSC-E2, BNENX-E7L (NPT2"T), BNEM-E7 (NPT2"T), BNEMX-04, BNEM-E7L (NPT2"T), BNEN-E3 (NPT3/4"T), BMEMX-E5, BMBC-06S, BMSC-E7, BNBC-02S, BNEN-E4 (NPT1"T), BNEN-E7L (NPT2"T), BMEMX-E7, BMBC-E2, BMBC-E3, BMBC-E4, BMBC-E5, BNBC-04, BNBC-02, BMSC-E4, BMSC-E5, BMSC-E6, BMBE-E2, BMBC-03S, BMBE-E4, BMBE-E5, BMBC-05S, BMBC-06, BMBC-E6, BMBE-E6, BMBC-E7, BSBE-06, BSBE-07, BSBC-10, BSBE-10, BNBC-03, BNBC-04, BNBC-02S, BMBE-06S, BMSC-06S, BMBE-02, BMBC-07S, BMEMX-E7L (M63T), BNENX-E5 (NPT1 1/4"T), BNENX-E3 (NPT3/4"T), BMBC-07, BMSC-02, BMSC-07, BMEM-E2, BMEM-E3, BMEM-E4, BMEM-E5, BMEM-E6, BMEM-E7, BSBC-04, BMBE-E3, BMSC-02S, BMBE-02S, BNENX-02, BMEMX-E4, BMEMX-E4 (M32T), BMSC-E3, BNEM-02, BNENX-03, BNENX-E6 (NPT1 1/2"T), BSBE-04, BMSC-03, BNEMX-02, BMBE-03, BNEN-03, BNEMX-E5 (NPT1 1/4"T), BMEMX-E6, BMEMX-E7 (M63T), BMSC-03S, BNEN-E6 (NPT1 1/2"T), BNENX-E2S (NPT1/2"T), BMBE-03S, BMEMX-E6 (M50T), BNEMX-E6 (NPT1 1/2"T), BNEMX-03, BSBC-04, BNEN-02, BMBE-04, BMEMX-E3 (M25T), BSBC-05, BNBC-05, BNEMX-E4 (NPT1"T), BNEMX-E7 (NPT2"T), BNBC-06, BMSC-04S, BNEN-E2 (NPT1/2"T), BMBE-04S, BSBC-06, BNENX-04, BMEMX-E2S (M20T), BNEN-04, BNEM-E2 (NPT1/2"T), BMBE-05, BSBC-07, BMSC-05, BNEMX-E7L (NPT2"T), BNENX-E4 (NPT1"T), BSBC-08, BNEM-E2S (NPT1/2"T), BMBE-05S, BMSC-05S, BMEMX-E5 (M40T), BNENX-E2 (NPT1/2"T), BNEMX-E2 (NPT1/2"T), BMEMX-E2(M20T), BMBC-07S-DS(GC), BMBE-06, BNEM-E3 (NPT3/4"T), BSBE-05, BNEM-04,, BSBC-09, BMSC-06, BMBC-04S, BNEN-E7 (NPT2"T), BMEM-E5 (M40T), BMBC-02S, BNBC-07S-DS(GC), BNEMX-E2S (NPT1/2"T), BSBC-08, BNEN-E2S (NPT1/2"T), BNEM-E4 (NPT1"T), BNEN-E5 (NPT1 1/4"T), BSBC-10S-DS(GC), BSBE-08, BMBE-07, BSBC-09, BSBC-10, BNEM-03,, BSBE-09, BNEM-E5 (NPT1 1/4"T), BSBC-05, BMBE-E7, BMSC-07S, BNEMX-E3 (NPT3/4"T)

Series B RJ EMC Metric, : No. B, followed by M

Series B RJ EMC NPT, : No. B, followed by N, followed by E

Series B RJ EMC PG, : No. B, followed by S, followed by E

Series B RJ Metric, : No. B

Series B RJ NPT, : No. B, followed by N

Series B RJ PG, : No. B, followed by S

Outlet Bushings and Fittings

Model(s): BMENX-E7L (M63T), BMENX1-E2S, BMEN-E7L (M63T), BMENX-E3 (M25T), BMENX-E7 (M63T), BMEMX1-E3, BMENX1-E3, BMENX-E2S (M20T), BMEM1-E4, BMENX-E5, BMENX1-E4, BMENX-E2 (M20T), BMEN-E3 (M25T), BMEMX1-E2S, BMEN-E2S (M20T), BMENX-E6 (M50T), BMEN1-E3, BMEN-E5 (M40T), BMEN-E3, BMEN-E7, BMEN-E2, BMEMX1-E4, BMENX-E5 (M40T), BMEN-E2 (M20T), BMEM1-E3, BMENX-E4, BMEN-E4 (M32T), BMEN-E5, BMEN-E6 (M50T), BMENX-E6, BMEM1-E2S, BMEN-E6, BMENX-E4 (M32T), BMEN-E4, BMENX-E2, BMENX-E3, BMEN1-E4, BMENX-E7, BMEN-E7 (63T), BMEN1-E2S

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-L199260-31-
21107002-13

Report Reference:

E199260-20070112

Issue Date:

2026-04-22

Issued to:

BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,
Arnavutkoy, ISTANBUL, 34555, TR

This certificate confirms that representative samples of:

QCRV7 - Outlet Bushings and Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 18.3-12, Edition 2, Issue Date 2012-07-13,
Revision Date 2024-03-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L199260-31-21107002-13
Report reference: E199260-20070112
Issue Date: 2026-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Liquid tight flexible cord fittings

Model(s): BMSC-04

Liquid-Tight Flexible Cord Connectors

Model(s): BNEM-E6 (NPT1 1/2"T), BNBC-02, BSBC-06, BNBC-03, BSBC-07, BMBC-02, BMBC-03, BMBC-04, BMBC-05, BMEM-E2 (M20T), BMEM-E2S (M20T), BMEM-E4 (M32T), BMEM-E6 (M50T), BMEMX-E2, BMEM-E7 (M63T), BMEM-E7L (M63T), BMEMX-E3, BMBE-07S, BMEM-E3 (M25T), BMSC-E2, BNENX-E7L (NPT2"T), BNEM-E7 (NPT2"T), BNEMX-04, BNEM-E7L (NPT2"T), BNEN-E3 (NPT3/4"T), BMEMX-E5, BMBC-06S, BMSC-E7, BNBC-02S, BNEN-E4 (NPT1"T), BNEN-E7L (NPT2"T), BMEMX-E7, BMBC-E2, BMBC-E3, BMBC-E4, BMBC-E5, BNBC-04, BNSC-02, BMSC-E4, BMSC-E5, BMSC-E6, BMBE-E2, BMBC-03S, BMBE-E4, BMBE-E5, BMBC-05S, BMBC-06, BMBC-E6, BMBE-E6, BMBC-E7, BSBE-06, BSBE-07, BSBC-10, BSBE-10, BNSC-03, BNSC-04, BNSC-02S, BMBE-06S, BMSC-06S, BMBE-02, BMBC-07S, BMEMX-E7L (M63T), BNENX-E5 (NPT1 1/4"T), BNENX-E3 (NPT3/4"T), BMBC-07, BMSC-02, BMSC-07, BMEM-E2, BMEM-E3, BMEM-E4, BMEM-E5, BMEM-E6, BMEM-E7, BSBC-04, BMBE-E3, BMSC-02S, BMBE-02S, BNENX-02, BMEMX-E4, BMEMX-E4 (M32T), BMSC-E3, BNEM-02, BNENX-03, BNENX-E6 (NPT1 1/2"T), BSBE-04, BMSC-03, BNEMX-02, BMBE-03, BNEN-03, BNEMX-E5 (NPT1 1/4"T), BMEMX-E6, BMEMX-E7 (M63T), BMSC-03S, BNEN-E6 (NPT1 1/2"T), BNENX-E2S (NPT1/2"T), BMBE-03S, BMEMX-E6 (M50T), BNEMX-E6 (NPT1 1/2"T), BNEMX-03, BSBC-04, BNEN-02, BMBE-04, BMEMX-E3 (M25T), BSBC-05, BNBC-05, BNEMX-E4 (NPT1"T), BNEMX-E7 (NPT2"T), BNBC-06, BMSC-04S, BNEN-E2 (NPT1/2"T), BMBE-04S, BSBC-06, BNENX-04, BMEMX-E2S (M20T), BNEN-04, BNEM-E2 (NPT1/2"T), BMBE-05, BSBC-07, BMSC-05, BNEMX-E7L (NPT2"T), BNENX-E4 (NPT1"T), BSBC-08, BNEM-E2S (NPT1/2"T), BMBE-05S, BMSC-05S, BMEMX-E5 (M40T), BNENX-E2 (NPT1/2"T), BNEMX-E2 (NPT1/2"T), BMEMX-E2(M20T), BMBC-07S-DS(GC), BMBE-06, BNEM-E3 (NPT3/4"T), BSBE-05, BNEM-04,, BSBC-09, BMSC-06, BMBC-04S, BNEN-E7 (NPT2"T), BMEM-E5 (M40T), BMBC-02S, BNBC-07S-DS(GC), BNEMX-E2S (NPT1/2"T), BSBC-08, BNEN-E2S (NPT1/2"T), BNEM-E4 (NPT1"T), BNEN-E5 (NPT1 1/4"T), BSBC-10S-DS(GC), BSBE-08, BMBE-07, BSBC-09, BSBC-10, BNEM-03,, BSBE-09, BNEM-E5 (NPT1 1/4"T), BSBC-05, BMBE-E7, BMSC-07S, BNEMX-E3 (NPT3/4"T)

Series B RJ EMC Metric, : No. B, followed by M

Series B RJ EMC NPT, : No. B, followed by N, followed by E

Series B RJ EMC PG, : No. B, followed by S, followed by E

Series B RJ Metric, : No. B

Series B RJ NPT, : No. B, followed by N

Series B RJ PG, : No. B, followed by S

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating

Model(s): BMENX-E1 (M16T), BMENX-E1

Outlet Bushings and Fittings

Model(s): BMENX-E7L (M63T), BMENX1-E2S, BMEN-E7L (M63T), BMENX-E3 (M25T), BMENX-E7 (M63T), BMEMX1-E3, BMENX1-E3, BMENX-E2S (M20T), BMEM1-E4, BMENX-E5, BMENX1-E4, BMENX-E2 (M20T), BMEN-E3 (M25T), BMEMX1-E2S, BMEN-E2S (M20T), BMENX-E6 (M50T), BMEN1-E3, BMEN-E5 (M40T), BMEN-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L199260-31-21107002-13
Report reference: E199260-20070112
Issue Date: 2026-04-22

E3, BMEN-E7, BMEN1-01, BMEN-E2, BMEMX1-E4, BMENX-E5 (M40T), BMEN-E2 (M20T), BMEM1-E3, BMENX-E4, BMEN-E4 (M32T), BMEN-E5, BMEN-E6 (M50T), BMENX-E6, BMEM1-E2S, BMEN-E6, BMEN1-E1, BMENX-E4 (M32T), BMEN-E4, BMENX-E2, BMENX-E3, BMEN1-E4, BMENX-E7, BMEN-E7 (63T), BMEN1-E2S

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

