

Certificate of Compliance

Certificate Number:

UL-US-L199260-11-
21107002-17

Report Reference:

E199260-20070112

Issue Date:

2025-02-21

Issued to:

BIMED TEKNİK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1
Arnavutkoy ISTANBUL 34555
Turkey

This certificate confirms that representative samples of:

QCRV - Outlet Bushings and Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 514B, 6th Ed., Issue Date: 2012-07-13, Revision Date: 2020-05-22

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-21107002-17
Report reference E199260-20070112
Date 2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T)	Liquid-Tight Flexible Cord Connectors
BMEM-E2S (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-21107002-17
Report reference E199260-20070112
Date 2025-02-21

BMEM-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E3 (M25T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4 (M32T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5 (M40T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6 (M50T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7 (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7L (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-04, , may be followed by (LF)	Liquid tight flexible cord fittings
BMSC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-03,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-04,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2 (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2S (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E3 (NPT3/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E4 (NPT1"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E5 (NPT1 1/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E6 (NPT1 1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7 (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7L (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-21107002-17
Report reference E199260-20070112
Date 2025-02-21

BNSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
Series B RJ Metric, No. B	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC Metric, No. B, followed by M	Liquid-Tight Flexible Cord Connectors
Series B RJ NPT, No. B, followed by N	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC NPT, No. B, followed by N, followed by E	Liquid-Tight Flexible Cord Connectors
Series B RJ PG, No. B, followed by S	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC PG, No. B, followed by S, followed by E	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L199260-31-
21107002-12

Report Reference:

E199260-20070112

Issue Date:

2025-02-21

Issued to:

BIMED TEKNİK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1
Arnavutkoy ISTANBUL 34555
Turkey

This certificate confirms that representative samples of:

QCRV7 - Outlet Bushings and Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 18.3-12, 2nd Ed., Issue Date: 2012-07-01,
Revision Date: 2020-05-22

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-21107002-12
Report reference E199260-20070112
Date 2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2S (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-21107002-12
Report reference E199260-20070112
Date 2025-02-21

BMEM-E3 (M25T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4 (M32T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5 (M40T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6 (M50T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7 (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7L (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-04, , may be followed by (LF)	Liquid tight flexible cord fittings
BMSC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-03,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-04,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2 (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2S (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E3 (NPT3/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E4 (NPT1"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E5 (NPT1 1/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E6 (NPT1 1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7 (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7L (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-21107002-12
Report reference E199260-20070112
Date 2025-02-21

BNSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
Series B RJ Metric, No. B	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC Metric, No. B, followed by M	Liquid-Tight Flexible Cord Connectors
Series B RJ NPT, No. B, followed by N	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC NPT, No. B, followed by N, followed by E	Liquid-Tight Flexible Cord Connectors
Series B RJ PG, No. B, followed by S	Liquid-Tight Flexible Cord Connectors
Series B RJ EMC PG, No. B, followed by S, followed by E	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.