

# Certificate of Compliance

## Certificate Number(s):

UL-US-L199260-11-  
21107002-18

## Report Reference:

E199260-20070112

## Issue Date:

2026-04-22

Issued to:

**BIMED TEKNİK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,**  
**Arnavutkoy, ISTANBUL, 34555, TR**

This certificate confirms that representative samples of:  
**QCRV - Outlet Bushings and Fittings**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 514B, Edition 6, Issue Date 2012-07-13, Revision Date 2024-03-28**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s):** UL-US-L199260-11-21107002-18  
**Report reference:** E199260-20070112  
**Issue Date:** 2026-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Liquid tight flexible cord fittings

**Model(s):** BMSC-04

## Liquid-Tight Flexible Cord Connectors

**Model(s):** BNEM-E6 (NPT1 1/2"T), BNBC-02, BSBC-06, BNBC-03, BSBC-07, BMBC-02, BMBC-03, BMBC-04, BMBC-05, BMEM-E2 (M20T), BMEM-E2S (M20T), BMEM-E4 (M32T), BMEM-E6 (M50T), BMEMX-E2, BMEM-E7 (M63T), BMEM-E7L (M63T), BMEMX-E3, BMBE-07S, BMEM-E3 (M25T), BMSC-E2, BNENX-E7L (NPT2"T), BNEM-E7 (NPT2"T), BNEMX-04, BNEM-E7L (NPT2"T), BNEN-E3 (NPT3/4"T), BMEMX-E5, BMBC-06S, BMSC-E7, BNBC-02S, BNEN-E4 (NPT1"T), BNEN-E7L (NPT2"T), BMEMX-E7, BMBC-E2, BMBC-E3, BMBC-E4, BMBC-E5, BNBC-04, BNBC-02, BMSC-E4, BMSC-E5, BMSC-E6, BMBE-E2, BMBC-03S, BMBE-E4, BMBE-E5, BMBC-05S, BMBC-06, BMBC-E6, BMBE-E6, BMBC-E7, BSBE-06, BSBE-07, BSBC-10, BSBE-10, BNSC-03, BNSC-04, BNSC-02S, BMBE-06S, BMSC-06S, BMBE-02, BMBC-07S, BMEMX-E7L (M63T), BNENX-E5 (NPT1 1/4"T), BNENX-E3 (NPT3/4"T), BMBC-07, BMSC-02, BMSC-07, BMEM-E2, BMEM-E3, BMEM-E4, BMEM-E5, BMEM-E6, BMEM-E7, BSBC-04, BMBE-E3, BMSC-02S, BMBE-02S, BNENX-02, BMEMX-E4, BMEMX-E4 (M32T), BMSC-E3, BNEM-02, BNENX-03, BNENX-E6 (NPT1 1/2"T), BSBE-04, BMSC-03, BNEMX-02, BMBE-03, BNEN-03, BNEMX-E5 (NPT1 1/4"T), BMEMX-E6, BMEMX-E7 (M63T), BMSC-03S, BNEN-E6 (NPT1 1/2"T), BNENX-E2S (NPT1/2"T), BMBE-03S, BMEMX-E6 (M50T), BNEMX-E6 (NPT1 1/2"T), BNEMX-03, BSSC-04, BNEN-02, BMBE-04, BMEMX-E3 (M25T), BSSC-05, BNBC-05, BNEMX-E4 (NPT1"T), BNEMX-E7 (NPT2"T), BNBC-06, BMSC-04S, BNEN-E2 (NPT1/2"T), BMBE-04S, BSSC-06, BNENX-04, BMEMX-E2S (M20T), BNEN-04, BNEM-E2 (NPT1/2"T), BMBE-05, BSSC-07, BMSC-05, BNEMX-E7L (NPT2"T), BNENX-E4 (NPT1"T), BSSC-08, BNEM-E2S (NPT1/2"T), BMBE-05S, BMSC-05S, BMEMX-E5 (M40T), BNENX-E2 (NPT1/2"T), BNEMX-E2 (NPT1/2"T), BMEMX-E2(M20T), BMBC-07S-DS(GC), BMBE-06, BNEM-E3 (NPT3/4"T), BSBE-05, BNEM-04,, BSSC-09, BMSC-06, BMBC-04S, BNEN-E7 (NPT2"T), BMEM-E5 (M40T), BMBC-02S, BNBC-07S-DS(GC), BNEMX-E2S (NPT1/2"T), BSBC-08, BNEN-E2S (NPT1/2"T), BNEM-E4 (NPT1"T), BNEN-E5 (NPT1 1/4"T), BSBC-10S-DS(GC), BSBE-08, BMBE-07, BSBC-09, BSSC-10, BNEM-03,, BSBE-09, BNEM-E5 (NPT1 1/4"T), BSBC-05, BMBE-E7, BMSC-07S, BNEMX-E3 (NPT3/4"T)

**Series B RJ EMC Metric,** : No. B, followed by M

**Series B RJ EMC NPT,** : No. B, followed by N, followed by E

**Series B RJ EMC PG,** : No. B, followed by S, followed by E

**Series B RJ Metric,** : No. B

**Series B RJ NPT,** : No. B, followed by N

**Series B RJ PG,** : No. B, followed by S

## Outlet Bushings and Fittings

**Model(s):** BMENX-E7L (M63T), BMENX1-E2S, BMEN-E7L (M63T), BMENX-E3 (M25T), BMENX-E7 (M63T), BMEMX1-E3, BMENX1-E3, BMENX-E2S (M20T), BMEM1-E4, BMENX-E5, BMENX1-E4, BMENX-E2 (M20T), BMEN-E3 (M25T), BMEMX1-E2S, BMEN-E2S (M20T), BMENX-E6 (M50T), BMEN1-E3, BMEN-E5 (M40T), BMEN-E3, BMEN-E7, BMEN-E2, BMEMX1-E4, BMENX-E5 (M40T), BMEN-E2 (M20T), BMEM1-E3, BMENX-E4, BMEN-E4 (M32T), BMEN-E5, BMEN-E6 (M50T), BMENX-E6, BMEM1-E2S, BMEN-E6, BMENX-E4 (M32T), BMEN-E4, BMENX-E2, BMENX-E3, BMEN1-E4, BMENX-E7, BMEN-E7 (63T), BMEN1-E2S

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

## Certificate Number(s):

UL-CA-L199260-31-  
21107002-13

## Report Reference:

E199260-20070112

## Issue Date:

2026-04-22

Issued to:

**BIMED TEKNİK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,**  
**Arnavutkoy, ISTANBUL, 34555, TR**

This certificate confirms that representative samples of:

**QCRV7 - Outlet Bushings and Fittings Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 18.3-12, Edition 2, Issue Date 2012-07-13,**  
**Revision Date 2024-03-28**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s):** UL-CA-L199260-31-21107002-13  
**Report reference:** E199260-20070112  
**Issue Date:** 2026-04-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Liquid tight flexible cord fittings

**Model(s):** BMSC-04

### Liquid-Tight Flexible Cord Connectors

**Model(s):** BNEM-E6 (NPT1 1/2"T), BNBC-02, BSBC-06, BNBC-03, BSBC-07, BMBC-02, BMBC-03, BMBC-04, BMBC-05, BMEM-E2 (M20T), BMEM-E2S (M20T), BMEM-E4 (M32T), BMEM-E6 (M50T), BMEMX-E2, BMEM-E7 (M63T), BMEM-E7L (M63T), BMEMX-E3, BMBE-07S, BMEM-E3 (M25T), BMSC-E2, BNENX-E7L (NPT2"T), BNEM-E7 (NPT2"T), BNEMX-04, BNEM-E7L (NPT2"T), BNEN-E3 (NPT3/4"T), BMEMX-E5, BMBC-06S, BMSC-E7, BNBC-02S, BNEN-E4 (NPT1"T), BNEN-E7L (NPT2"T), BMEMX-E7, BMBC-E2, BMBC-E3, BMBC-E4, BMBC-E5, BNBC-04, BNBC-02, BMSC-E4, BMSC-E5, BMSC-E6, BMBE-E2, BMBC-03S, BMBE-E4, BMBE-E5, BMBC-05S, BMBC-06, BMBC-E6, BMBE-E6, BMBC-E7, BSBE-06, BSBE-07, BSBC-10, BSBE-10, BNBC-03, BNBC-04, BNBC-02S, BMBE-06S, BMSC-06S, BMBE-02, BMBC-07S, BMEMX-E7L (M63T), BNENX-E5 (NPT1 1/4"T), BNENX-E3 (NPT3/4"T), BMBC-07, BMSC-02, BMSC-07, BMEM-E2, BMEM-E3, BMEM-E4, BMEM-E5, BMEM-E6, BMEM-E7, BSBC-04, BMBE-E3, BMSC-02S, BMBE-02S, BNENX-02, BMEMX-E4, BMEMX-E4 (M32T), BMSC-E3, BNEM-02, BNENX-03, BNENX-E6 (NPT1 1/2"T), BSBE-04, BMSC-03, BNEMX-02, BMBE-03, BNEN-03, BNEMX-E5 (NPT1 1/4"T), BMEMX-E6, BMEMX-E7 (M63T), BMSC-03S, BNEN-E6 (NPT1 1/2"T), BNENX-E2S (NPT1/2"T), BMBE-03S, BMEMX-E6 (M50T), BNEMX-E6 (NPT1 1/2"T), BNEMX-03, BSSC-04, BNEN-02, BMBE-04, BMEMX-E3 (M25T), BSSC-05, BNBC-05, BNEMX-E4 (NPT1"T), BNEMX-E7 (NPT2"T), BNBC-06, BMSC-04S, BNEN-E2 (NPT1/2"T), BMBE-04S, BSSC-06, BNENX-04, BMEMX-E2S (M20T), BNEN-04, BNEM-E2 (NPT1/2"T), BMBE-05, BSSC-07, BMSC-05, BNEMX-E7L (NPT2"T), BNENX-E4 (NPT1"T), BSSC-08, BNEM-E2S (NPT1/2"T), BMBE-05S, BMSC-05S, BMEMX-E5 (M40T), BNENX-E2 (NPT1/2"T), BNEMX-E2 (NPT1/2"T), BMEMX-E2(M20T), BMBC-07S-DS(GC), BMBE-06, BNEM-E3 (NPT3/4"T), BSBE-05, BNEM-04,, BSSC-09, BMSC-06, BMBC-04S, BNEN-E7 (NPT2"T), BMEM-E5 (M40T), BMBC-02S, BNBC-07S-DS(GC), BNEMX-E2S (NPT1/2"T), BSBC-08, BNEN-E2S (NPT1/2"T), BNEM-E4 (NPT1"T), BNEN-E5 (NPT1 1/4"T), BSBC-10S-DS(GC), BSBE-08, BMBE-07, BSBC-09, BSSC-10, BNEM-03,, BSBE-09, BNEM-E5 (NPT1 1/4"T), BSBC-05, BMBE-E7, BMSC-07S, BNEMX-E3 (NPT3/4"T)

**Series B RJ EMC Metric,** : No. B, followed by M

**Series B RJ EMC NPT,** : No. B, followed by N, followed by E

**Series B RJ EMC PG,** : No. B, followed by S, followed by E

**Series B RJ Metric,** : No. B

**Series B RJ NPT,** : No. B, followed by N

**Series B RJ PG,** : No. B, followed by S

### Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating

**Model(s):** BMENX-E1 (M16T), BMENX-E1

### Outlet Bushings and Fittings

**Model(s):** BMENX-E7L (M63T), BMENX1-E2S, BMEN-E7L (M63T), BMENX-E3 (M25T), BMENX-E7 (M63T), BMEMX1-E3, BMENX1-E3, BMENX-E2S (M20T), BMEM1-E4, BMENX-E5, BMENX1-E4, BMENX-E2 (M20T), BMEN-E3 (M25T), BMEMX1-E2S, BMEN-E2S (M20T), BMENX-E6 (M50T), BMEN1-E3, BMEN-E5 (M40T), BMEN-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number(s):** UL-CA-L199260-31-21107002-13  
**Report reference:** E199260-20070112  
**Issue Date:** 2026-04-22

E3, BMEN-E7, BMEN1-01, BMEN-E2, BMEMX1-E4, BMENX-E5 (M40T), BMEN-E2 (M20T), BMEM1-E3, BMENX-E4, BMEN-E4 (M32T), BMEN-E5, BMEN-E6 (M50T), BMENX-E6, BMEM1-E2S, BMEN-E6, BMEN1-E1, BMENX-E4 (M32T), BMEN-E4, BMENX-E2, BMENX-E3, BMEN1-E4, BMENX-E7, BMEN-E7 (63T), BMEN1-E2S

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:**

UL-US-L199260-11-  
21107002-17

**Report Reference:**

E199260-20070112

**Issue Date:**

2025-02-21

Issued to:

**BIMED TEKNİK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1**  
**Arnavutkoy ISTANBUL 34555**  
**Turkey**

This certificate confirms that representative samples of:

**QCRV - Outlet Bushings and Fittings**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 514B, 6th Ed., Issue Date: 2012-07-13, Revision Date: 2020-05-22**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-US-L199260-11-21107002-17  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T)	Liquid-Tight Flexible Cord Connectors
BMEM-E2S (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-US-L199260-11-21107002-17  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

BMEM-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E3 (M25T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4 (M32T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5 (M40T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6 (M50T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7 (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7L (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-04, , may be followed by (LF)	Liquid tight flexible cord fittings
BMSC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-03,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-04,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2 (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2S (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E3 (NPT3/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E4 (NPT1"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E5 (NPT1 1/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E6 (NPT1 1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7 (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7L (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-US-L199260-11-21107002-17  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

BNSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ Metric, No. B</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC Metric, No. B, followed by M</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ NPT, No. B, followed by N</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC NPT, No. B, followed by N, followed by E</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ PG, No. B, followed by S</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC PG, No. B, followed by S, followed by E</b>	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L199260-31-  
21107002-12

**Report Reference:**

E199260-20070112

**Issue Date:**

2025-02-21

Issued to:

**BIMED TEKNİK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1**  
**Arnavutkoy ISTANBUL 34555**  
**Turkey**

This certificate confirms that representative samples of:

**QCRV7 - Outlet Bushings and Fittings Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 NO. 18.3-12, 2nd Ed., Issue Date: 2012-07-01,**  
**Revision Date: 2020-05-22**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-CA-L199260-31-21107002-12  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMBE-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2 (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E2S (M20T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-CA-L199260-31-21107002-12  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

BMEM-E3 (M25T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E4 (M32T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E5 (M40T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E6 (M50T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7 (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMEM-E7L (M63T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-03S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-04, , may be followed by (LF)	Liquid tight flexible cord fittings
BMSC-04S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-05S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-06S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-07S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E2, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E3, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E4, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E5, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E6, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BMSC-E7, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNBC-07S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-03,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-04,, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2 (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E2S (NPT1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E3 (NPT3/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E4 (NPT1"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E5 (NPT1 1/4"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E6 (NPT1 1/2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7 (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNEM-E7L (NPT2"T), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-02, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-CA-L199260-31-21107002-12  
**Report reference**     E199260-20070112  
**Date**                     2025-02-21

BNSC-02S, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-03, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BNSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBC-10S-DS(GC), , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSBE-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-04, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-05, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-06, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-07, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-08, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-09, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
BSSC-10, , may be followed by (LF)	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ Metric, No. B</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC Metric, No. B, followed by M</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ NPT, No. B, followed by N</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC NPT, No. B, followed by N, followed by E</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ PG, No. B, followed by S</b>	Liquid-Tight Flexible Cord Connectors
<b>Series B RJ EMC PG, No. B, followed by S, followed by E</b>	Liquid-Tight Flexible Cord Connectors



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.