

# Certificate of Compliance

**Certificate Number:**

UL-US-L199260-11-  
10508002-16

**Report Reference:**

E199260-20080501

**Issue Date:**

2025-02-21

Issued to:

**BIMED TEKNIK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1**  
**Arnavutkoy ISTANBUL 34555**  
**Turkey**

This certificate confirms that representative samples of:

**QCRV - Outlet Bushings and Fittings**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 514B, 6th Ed., Issue Date: 2012-07-13, Revision Date: 2020-05-22**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model                                                                                                                                                                    | Product Description                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <b>B RJ Metric</b> , B,, followed by M, followed by RJ, may be followed by EN, followed by one number 0 to 5, followed by 3, 3(1X10MM), 5, 6 or 7, may be followed by L. | Liquid-Tight Flexible Cord Connectors          |
| <b>B RJ NPT</b> , B,, followed by N, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                                  | Liquid-Tight Flexible Cord Connectors          |
| <b>B RJ PG</b> , B,, followed by S, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                                   | Liquid-Tight Flexible Cord Connectors          |
| BI-00                                                                                                                                                                    | Outlet Bushings and Fittings                   |
| BI-02                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-02L                                                                                                                                                                   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-03                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-04                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-05                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-06                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-07                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-08                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-09                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-10                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-12                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-12L                                                                                                                                                                   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-13                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-14                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-15                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-16                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-17                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BI-18  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-19  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-22  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-22L | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-23  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-25  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-27  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-28  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-29  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-32  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-32L | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-33  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-42  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|          |                                                |
|----------|------------------------------------------------|
| BI-42L   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-43    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-44    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-45    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-46    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-47    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-48    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-49    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-4S    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-50    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-52    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-52L   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-53    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-54    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-55    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-56    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-57    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-58    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-59    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-60    | Liquid-Tight Flexible Cord Connectors-Straight |
| BISP-02  | Straight Spiral Neck                           |
| BISP-02L | Straight Spiral Neck                           |
| BISP-03  | Straight Spiral Neck                           |
| BISP-04  | Straight Spiral Neck                           |
| BISP-05  | Straight Spiral Neck                           |
| BISP-06  | Straight Spiral Neck                           |
| BISP-12  | Straight Spiral Neck                           |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-10508002-16  
 Report reference E199260-20080501  
 Date 2025-02-21

|          |                                                                 |
|----------|-----------------------------------------------------------------|
| BISP-12L | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BISP-13  | Straight Spiral Neck                                            |
| BISP-14  | Straight Spiral Neck                                            |
| BISP-15  | Straight Spiral Neck                                            |
| BISP-16  | Straight Spiral Neck                                            |
| BISP-22  | Straight Spiral Neck                                            |
| BISP-22L | Straight Spiral Neck                                            |
| BISP-23  | Straight Spiral Neck                                            |
| BISP-24  | Straight Spiral Neck                                            |
| BISP-25  | Straight Spiral Neck                                            |
| BISP-26  | Straight Spiral Neck                                            |
| BISP-32  | Straight Spiral Neck                                            |
| BISP-32L | Straight Spiral Neck                                            |
| BISP-33  | Straight Spiral Neck                                            |
| BISP-34  | Straight Spiral Neck                                            |
| BISP-35  | Straight Spiral Neck                                            |
| BISP-36  | Straight Spiral Neck                                            |
| BISP-42  | Straight Spiral Neck                                            |
| BISP-42L | Straight Spiral Neck                                            |
| BISP-43  | Straight Spiral Neck                                            |
| BISP-44  | Straight Spiral Neck                                            |
| BISP-45  | Straight Spiral Neck                                            |
| BISP-46  | Straight Spiral Neck                                            |
| BISP-52  | Straight Spiral Neck                                            |
| BISP-52L | Straight Spiral Neck                                            |
| BISP-53  | Straight Spiral Neck                                            |
| BISP-54  | Straight Spiral Neck                                            |
| BISP-55  | Straight Spiral Neck                                            |
| BISP-56  | Straight Spiral Neck                                            |
| BM-00    | Outlet Bushings and Fittings                                    |
| BM-02    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-02L   | Liquid tight flexible cord connectors                           |
| BM-02L   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| bm-03    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-03,   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| bm-04    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-04,   | Straight Long Threads                                           |
| BM-05    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-06    | Liquid tight flexible cord connectors                           |
| BM-06    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| bm-07  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-07, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-08  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-09  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-10  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-12  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-12L | Liquid tight flexible cord connectors          |
| BM-12L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-13  | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-13, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-14  | Straight Long Threads                          |
| bm-14, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-15  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-16  | Liquid tight flexible cord connectors          |
| BM-16  | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-17  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-17, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-18  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-19  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-22  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-22L | Liquid tight flexible cord connectors          |
| BM-22L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-23  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-24  | Straight Long Threads                          |
| bm-24, | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|           |                                                |
|-----------|------------------------------------------------|
| BM-25     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-25     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-26     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-26     | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-27     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-27,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-28     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-28(V0) | Dry Locations Flexible Cord connectors         |
| BM-29     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-30     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-32     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-32L    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-33     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-34     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-35     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-36     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-37     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-38     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-39     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-40     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-42     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-42L    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-43     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-44     | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|          |                                                |
|----------|------------------------------------------------|
| BM-45    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-46    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-47    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-48    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-49    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-50    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-52    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-52L   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-53    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-54    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-55    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-56    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-57    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-58    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-59    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-60    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B02   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B12   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B22   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B32   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B42   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B52   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN    | Liquid tight flexible cord connectors          |
| BM-EN-02 | Liquid tight flexible cord connectors          |
| BM-EN-02 | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                |
|------------|------------------------------------------------|
| BM-EN-02L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03   | Liquid tight flexible cord connectors          |
| BM-EN-03   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03H  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-04   | Outlet Bushings and Fittings                   |
| BM-EN-04   | Dry locations flexible cord connectors         |
| BM-EN-04,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-04R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-05   | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-en-05,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-05L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-05R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-05RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-06   | Dry locations flexible cord connectors         |
| BM-EN-06,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-06R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-07   | Dry locations flexible cord connectors         |
| BM-EN-07,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-07R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-12   | Liquid tight flexible cord connectors          |
| BM-EN-12   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-12L  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                |
|------------|------------------------------------------------|
| BM-EN-12R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-12RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-13   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-13H  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-13L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-13R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-13RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-14   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-14R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-15   | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-en-15,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-15L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-15R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-15RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-16   | Dry locations flexible cord connectors         |
| BM-EN-16,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-16R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-17   | Dry locations flexible cord connectors         |
| BM-EN-17,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-17R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-22   | Liquid tight flexible cord connectors          |
| BM-EN-22   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-22L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-22R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-22RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-23   | Liquid tight flexible cord connectors          |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|              |                                                |
|--------------|------------------------------------------------|
| BM-EN-23     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-23H    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-23L    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-23R    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-23RL   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-24     | Dry locations flexible cord connectors         |
| BM-EN-24,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-24R    | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-en-25     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25     | Dry locations flexible cord connectors         |
| BM-EN-25(V0) | Dry Locations Flexible Cord connectors         |
| BM-EN-25,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25L    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25R    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25RL   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-26     | Dry locations flexible cord connectors         |
| BM-EN-26,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-26R    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-27     | Dry locations flexible cord connectors         |
| BM-EN-27,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-27R    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32L    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32R    | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32RL   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33     | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                |
|------------|------------------------------------------------|
| BM-EN-33H  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-34   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-34R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-36   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-36R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-37   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-37R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-42   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-42L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-42R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-42RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-43   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-43H  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-43L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-43R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-43RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-44   | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                    |
|------------|----------------------------------------------------|
| BM-EN-44R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-46   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-46R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-47   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-47R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-4SR  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-4SRL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-52   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-52L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-52R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-52RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-53   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-53H  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-53L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-53R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-53RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-54   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-54R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-55   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-55L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| BM-EN-55R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-55RL | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-56   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-56R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-57   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-57R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BMRJ-03    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMRJ-13    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMRJ-23    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-02    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-02    | Straight Spiral Neck                                            |
| BMSP-02L   | Straight Spiral Neck                                            |
| BMSP-02L   | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-03    | Straight Spiral Neck                                            |
| bmsp-03,   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BMSP-04    | Straight Spiral Neck                                            |
| BMSP-04    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-05    | Straight Spiral Neck                                            |
| BMSP-06    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-06    | Straight Spiral Neck                                            |
| BMSP-12    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-12    | Straight Spiral Neck                                            |
| BMSP-12L   | Straight Spiral Neck                                            |
| BMSP-12L   | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-13    | Straight Spiral Neck                                            |
| bmsp-13,   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BMSP-14    | Straight Spiral Neck                                            |
| BMSP-14    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-15    | Straight Spiral Neck                                            |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-10508002-16  
 Report reference E199260-20080501  
 Date 2025-02-21

|          |                                                                 |
|----------|-----------------------------------------------------------------|
| BMSP-16  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-16  | Straight Spiral Neck                                            |
| BMSP-22  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-22  | Straight Spiral Neck                                            |
| BMSP-22L | Straight Spiral Neck                                            |
| BMSP-22L | Liquid tight flexible cord connectors,<br>straight spiral necks |
| bmsp-23  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BMSP-23, | Straight Spiral Neck                                            |
| BMSP-24  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-24  | Straight Spiral Neck                                            |
| BMSP-25  | Straight Spiral Neck                                            |
| BMSP-26  | Straight Spiral Neck                                            |
| BMSP-26  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-32  | Straight Spiral Neck                                            |
| BMSP-32L | Straight Spiral Neck                                            |
| BMSP-33  | Straight Spiral Neck                                            |
| BMSP-34  | Straight Spiral Neck                                            |
| BMSP-35  | Straight Spiral Neck                                            |
| BMSP-36  | Straight Spiral Neck                                            |
| BMSP-42  | Straight Spiral Neck                                            |
| BMSP-42L | Straight Spiral Neck                                            |
| BMSP-43  | Straight Spiral Neck                                            |
| BMSP-44  | Straight Spiral Neck                                            |
| BMSP-45  | Straight Spiral Neck                                            |
| BMSP-46  | Straight Spiral Neck                                            |
| BMSP-52  | Straight Spiral Neck                                            |
| BMSP-52L | Straight Spiral Neck                                            |
| BMSP-53  | Straight Spiral Neck                                            |
| BMSP-54  | Straight Spiral Neck                                            |
| BMSP-55  | Straight Spiral Neck                                            |
| BMSP-56  | Straight Spiral Neck                                            |
| bnsp-04  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSP-04, | Straight Spiral Neck                                            |
| bnsp-14  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSP-24  | Straight Spiral Neck                                            |
| bnsp-24, | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPB-02 | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPB-02 | Straight Spiral Neck                                            |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|           |                                                                 |
|-----------|-----------------------------------------------------------------|
| BNSPB-02R | Straight Spiral Neck                                            |
| BNSPB-12  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPB-12  | Straight Spiral Neck                                            |
| BNSPB-12R | Straight Spiral Neck                                            |
| BNSPB-22  | Straight Spiral Neck                                            |
| BNSPB-22R | Straight Spiral Neck                                            |
| BNSPB-32  | Straight Spiral Neck                                            |
| BNSPB-32R | Straight Spiral Neck                                            |
| BNSPB-42  | Straight Spiral Neck                                            |
| BNSPB-42R | Straight Spiral Neck                                            |
| BNSPB-52  | Straight Spiral Neck                                            |
| BNSPB-52R | Straight Spiral Neck                                            |
| BNSPC-02  | Straight Spiral Neck                                            |
| bnspc-02, | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-02R | Straight Spiral Neck                                            |
| bnspc-12  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-12, | Straight Spiral Neck                                            |
| BNSPC-12R | Straight Spiral Neck                                            |
| bnspc-22  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-22, | Straight Spiral Neck                                            |
| BNSPC-22R | Straight Spiral Neck                                            |
| BNSPC-32  | Straight Spiral Neck                                            |
| BNSPC-32R | Straight Spiral Neck                                            |
| BNSPC-42  | Straight Spiral Neck                                            |
| BNSPC-42R | Straight Spiral Neck                                            |
| BNSPC-52  | Straight Spiral Neck                                            |
| BNSPC-52R | Straight Spiral Neck                                            |
| BNSPD-03  | Straight Spiral Neck                                            |
| BNSPD-03  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPD-03R | Straight Spiral Neck                                            |
| BNSPD-13  | Straight Spiral Neck                                            |
| BNSPD-13  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPD-13R | Straight Spiral Neck                                            |
| BNSPD-14  | Straight Spiral Neck                                            |
| BNSPD-23  | Straight Spiral Neck                                            |
| BNSPD-23R | Straight Spiral Neck                                            |
| BNSPD-33  | Straight Spiral Neck                                            |
| BNSPD-33R | Straight Spiral Neck                                            |
| BNSPD-43  | Straight Spiral Neck                                            |
| BNSPD-43R | Straight Spiral Neck                                            |
| BNSPD-53  | Straight Spiral Neck                                            |
| BNSPD-53R | Straight Spiral Neck                                            |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BS-04  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-05  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-05, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-06  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-07  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-07, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-08  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-08, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-09  | Dry locations flexible cord connectors         |
| BS-09, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-10  | Dry locations flexible cord connectors         |
| bs-10  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-10, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-14  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-15  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-15, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-16  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-17  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-17, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-18  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-18, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-19  | Dry locations flexible cord connectors         |
| BS-19, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-20  | Dry locations flexible cord connectors         |
| bs-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-20, | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BS-23  | Liquid-tight flexible cord fittings, straight  |
| BS-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-25  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-25, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-27  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-27, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-28  | Dry locations flexible cord connectors         |
| bs-28  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-28, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-29  | Dry locations flexible cord connectors         |
| BS-29, | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-30  | Dry locations flexible cord connectors         |
| BS-30, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-45  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-46  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-47  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|         |                                                |
|---------|------------------------------------------------|
| BS-48   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-49   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-50   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-54   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-55   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-56   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-57   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-58   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-59   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-60   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-04  | Outlet Bushings and Fittings                   |
| bsp-04  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-04, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-04R | Liquid-Tight Flexible Cord Connectors-Straight |
| bsp-14  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-14, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-14R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| bsp-24, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-24R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-34R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-44R | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|                 |                                                |
|-----------------|------------------------------------------------|
| BSP-54          | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-54R         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPA-01         | Liquid tight flexible cord connectors          |
| BSPA-11         | Liquid tight flexible cord connectors          |
| BSPA-21         | Liquid tight flexible cord connectors          |
| BSPB-02         | Dry locations flexible cord connectors         |
| BSPB-02,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-02R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-12         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-12R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-22         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-22R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-32         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-32R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-42         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-42R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-52         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-52R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-02(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-02(3x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-02(3x6 mm) | Outlet Bushings and Fittings                   |
| bspc-02,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-12(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-12(3x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-12(3x6 mm) | Outlet Bushings and Fittings                   |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|                 |                                                |
|-----------------|------------------------------------------------|
| bspc-12,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-22         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-22(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-22(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-22(3x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-22(3x6 mm) | Outlet Bushings and Fittings                   |
| bspc-22,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-22R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-32         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-32R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-42         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-42R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-52         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-52R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-03         | Dry locations flexible cord connectors         |
| BSPD-03,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-03R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-13         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-13R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-23         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-23R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-33         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-33R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-43         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-43R        | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|          |                                                |
|----------|------------------------------------------------|
| BSPD-53  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-53R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-04  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-14  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-54  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPG-02  | Dry locations flexible cord connectors         |
| BSR-04   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-05   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-06   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-07   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-08   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-09   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-10   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-14   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-15   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-16   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-17   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-18   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-19   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-20   | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-24   | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-L199260-11-10508002-16  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BSR-25 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-26 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-27 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-28 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-29 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-30 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-34 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-35 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-36 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-37 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-38 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-39 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-40 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-44 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-45 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-46 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-47 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-48 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-49 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-50 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-54 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-55 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-56 | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-57 | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-10508002-16  
 Report reference E199260-20080501  
 Date 2025-02-21

|          |                                                              |
|----------|--------------------------------------------------------------|
| BSR-58   | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSR-59   | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSR-60   | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSRP-04  | Straight Spiral Neck                                         |
| BSRP-05  | Straight Spiral Neck                                         |
| BSRP-06  | Straight Spiral Neck                                         |
| BSRP-14  | Straight Spiral Neck                                         |
| BSRP-15  | Straight Spiral Neck                                         |
| BSRP-16  | Straight Spiral Neck                                         |
| BSRP-24  | Straight Spiral Neck                                         |
| BSRP-25  | Straight Spiral Neck                                         |
| BSRP-26  | Straight Spiral Neck                                         |
| BSRP-34  | Straight Spiral Neck                                         |
| BSRP-35  | Straight Spiral Neck                                         |
| BSRP-36  | Straight Spiral Neck                                         |
| BSRP-44  | Straight Spiral Neck                                         |
| BSRP-45  | Straight Spiral Neck                                         |
| BSRP-46  | Straight Spiral Neck                                         |
| BSRP-54  | Straight Spiral Neck                                         |
| BSRP-55  | Straight Spiral Neck                                         |
| BSRP-56  | Straight Spiral Neck                                         |
| BSSP-04  | Liquid tight flexible cord connectors, straight spiral necks |
| BSSP-04  | Straight Spiral Neck                                         |
| bssp-05  | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSSP-05, | Straight Spiral Neck                                         |
| BSSP-06  | Liquid tight flexible cord connectors, straight spiral necks |
| BSSP-06  | Straight Spiral Neck                                         |
| BSSP-14  | Liquid tight flexible cord connectors, straight spiral necks |
| BSSP-14  | Straight Spiral Neck                                         |
| bssp-15  | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSSP-15, | Straight Spiral Neck                                         |
| BSSP-16  | Liquid tight flexible cord connectors, straight spiral necks |
| BSSP-16  | Straight Spiral Neck                                         |
| BSSP-24  | Straight Spiral Neck                                         |
| BSSP-24  | Liquid tight flexible cord connectors, straight spiral necks |
| bssp-25  | Liquid-Tight Flexible Cord Connectors-Straight               |
| BSSP-25, | Straight Spiral Neck                                         |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-11-10508002-16  
 Report reference E199260-20080501  
 Date 2025-02-21

|                                                                                                                                                                                    |                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| BSSP-26                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-34                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-35                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-36                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-44                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-45                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-46                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-54                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-55                                                                                                                                                                            | Straight Spiral Neck                   |
| BSSP-56                                                                                                                                                                            | Straight Spiral Neck                   |
| M40A                                                                                                                                                                               | Dry Locations Flexible Cord connectors |
| M40B                                                                                                                                                                               | Dry Locations Flexible Cord connectors |
| NCG-1002LG                                                                                                                                                                         | Liquid-Tight Flexible Cord connectors  |
| <b>Series B RJ Metric</b> , No. B, followed by M, followed by RJ, may be followed by EN, followed by one number 0 to 5, followed by 3, 3(1X10MM), 5, 6 or 7, may be followed by L. | Liquid-Tight Flexible Cord Connectors  |
| <b>Series B RJ NPT</b> , No. B, followed by N, followed by RJ, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                  | Liquid-Tight Flexible Cord Connectors  |
| <b>Series B RJ PG</b> , No. B, followed by S, followed by RJ, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                   | Liquid-Tight Flexible Cord Connectors  |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L199260-31-  
10508002-13

**Report Reference:**

E199260-20080501

**Issue Date:**

2025-02-21

Issued to:

**BIMED TEKNIK ALETLER SAN TIC A S**  
**Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1**  
**Arnavutkoy ISTANBUL 34555**  
**Turkey**

This certificate confirms that representative samples of:

**QCRV7 - Outlet Bushings and Fittings Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 NO. 18.3-12, 2nd Ed., Issue Date: 2012-07-01,**  
**Revision Date: 2020-05-22**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model                                                                                                                                                                    | Product Description                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <b>B RJ Metric</b> , B,, followed by M, followed by RJ, may be followed by EN, followed by one number 0 to 5, followed by 3, 3(1X10MM), 5, 6 or 7, may be followed by L. | Liquid-Tight Flexible Cord Connectors          |
| <b>B RJ NPT</b> , B,, followed by N, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                                  | Liquid-Tight Flexible Cord Connectors          |
| <b>B RJ PG</b> , B,, followed by S, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.                                                                   | Liquid-Tight Flexible Cord Connectors          |
| BI-00                                                                                                                                                                    | Outlet Bushings and Fittings                   |
| BI-02                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-02L                                                                                                                                                                   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-03                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-04                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-05                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-06                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-07                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-08                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-09                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-10                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-12                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-12L                                                                                                                                                                   | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-13                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-14                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-15                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-16                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-17                                                                                                                                                                    | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BI-18  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-19  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-22  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-22L | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-23  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-25  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-27  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-28  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-29  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-32  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-32L | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-33  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BI-42  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|          |                                                    |
|----------|----------------------------------------------------|
| BI-42L   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-43    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-44    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-45    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-46    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-47    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-48    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-49    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-4S    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-50    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-52    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-52L   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-53    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-54    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-55    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-56    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-57    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-58    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-59    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BI-60    | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BISP-02  | Straight Spiral Neck                               |
| BISP-02L | Straight Spiral Neck                               |
| BISP-03  | Straight Spiral Neck                               |
| BISP-04  | Straight Spiral Neck                               |
| BISP-05  | Straight Spiral Neck                               |
| BISP-06  | Straight Spiral Neck                               |
| BISP-12  | Straight Spiral Neck                               |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-10508002-13  
 Report reference E199260-20080501  
 Date 2025-02-21

|          |                                                                 |
|----------|-----------------------------------------------------------------|
| BISP-12L | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BISP-13  | Straight Spiral Neck                                            |
| BISP-14  | Straight Spiral Neck                                            |
| BISP-15  | Straight Spiral Neck                                            |
| BISP-16  | Straight Spiral Neck                                            |
| BISP-22  | Straight Spiral Neck                                            |
| BISP-22L | Straight Spiral Neck                                            |
| BISP-23  | Straight Spiral Neck                                            |
| BISP-24  | Straight Spiral Neck                                            |
| BISP-25  | Straight Spiral Neck                                            |
| BISP-26  | Straight Spiral Neck                                            |
| BISP-32  | Straight Spiral Neck                                            |
| BISP-32L | Straight Spiral Neck                                            |
| BISP-33  | Straight Spiral Neck                                            |
| BISP-34  | Straight Spiral Neck                                            |
| BISP-35  | Straight Spiral Neck                                            |
| BISP-36  | Straight Spiral Neck                                            |
| BISP-42  | Straight Spiral Neck                                            |
| BISP-42L | Straight Spiral Neck                                            |
| BISP-43  | Straight Spiral Neck                                            |
| BISP-44  | Straight Spiral Neck                                            |
| BISP-45  | Straight Spiral Neck                                            |
| BISP-46  | Straight Spiral Neck                                            |
| BISP-52  | Straight Spiral Neck                                            |
| BISP-52L | Straight Spiral Neck                                            |
| BISP-53  | Straight Spiral Neck                                            |
| BISP-54  | Straight Spiral Neck                                            |
| BISP-55  | Straight Spiral Neck                                            |
| BISP-56  | Straight Spiral Neck                                            |
| BM-00    | Outlet Bushings and Fittings                                    |
| BM-02    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-02L   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| bm-03    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-03,   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| bm-04    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-04,   | Straight Long Threads                                           |
| BM-05    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-06    | Liquid-Tight Flexible Cord Connectors-<br>Straight              |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| bm-07  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-07, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-08  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-09  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-10  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-12  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-12L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-13  | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-13, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-14  | Straight Long Threads                          |
| bm-14, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-15  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-16  | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-17  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-17, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-18  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-19  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-22  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-22L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-23  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-24  | Straight Long Threads                          |
| bm-24, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-25  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-25  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BM-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| bm-27  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-27, | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-28  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-29  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-32  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-32L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-33  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-42  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-42L | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-43  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-45  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-46  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-47  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                |
|------------|------------------------------------------------|
| BM-48      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-49      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-50      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-52      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-52L     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-53      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-54      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-55      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-56      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-57      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-58      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-59      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-60      | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B02     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B12     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B22     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B32     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B42     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-B52     | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-02RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-03   | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                    |
|------------|----------------------------------------------------|
| BM-EN-03H  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-03L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-03R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-03RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-04   | Outlet Bushings and Fittings                       |
| BM-EN-04,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-04R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-05   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| bm-en-05,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-05L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-05R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-05RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-06,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-06R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-07,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-07R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-12   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-12L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-12R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-12RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-13   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-13H  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-13L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-13R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                    |
|------------|----------------------------------------------------|
| BM-EN-13RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-14   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-14R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-15   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| bm-en-15,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-15L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-15R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-15RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-16,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-16R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-17,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-17R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-22   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-22L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-22R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-22RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-23   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-23H  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-23L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-23R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-23RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-24,  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-24R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| bm-en-25   | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                |
|------------|------------------------------------------------|
| BM-EN-25,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-25RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-26,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-26R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-27,  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-27R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-32RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33H  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-33RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-34   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-34R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35   | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35L  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35R  | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-35RL | Liquid-Tight Flexible Cord Connectors-Straight |
| BM-EN-36   | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                    |
|------------|----------------------------------------------------|
| BM-EN-36R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-37   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-37R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-42   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-42L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-42R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-42RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-43   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-43H  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-43L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-43R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-43RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-44   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-44R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45L  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-45RL | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-46   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-46R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-47   | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-47R  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-4SR  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BM-EN-4SRL | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| BM-EN-52   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-52L  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-52R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-52RL | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-53   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-53H  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-53L  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-53R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-53RL | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-54   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-54R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-55   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-55L  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-55R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-55RL | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-56   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-56R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-57   | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BM-EN-57R  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BMRJ-03    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMRJ-13    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMRJ-23    | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BMSP-02    | Straight Spiral Neck                                            |
| BMSP-02L   | Straight Spiral Neck                                            |
| BMSP-03    | Straight Spiral Neck                                            |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-10508002-13  
 Report reference E199260-20080501  
 Date 2025-02-21

|          |                                                    |
|----------|----------------------------------------------------|
| bmsp-03, | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BMSP-04  | Straight Spiral Neck                               |
| BMSP-05  | Straight Spiral Neck                               |
| BMSP-06  | Straight Spiral Neck                               |
| BMSP-12  | Straight Spiral Neck                               |
| BMSP-12L | Straight Spiral Neck                               |
| BMSP-13  | Straight Spiral Neck                               |
| bmsp-13, | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BMSP-14  | Straight Spiral Neck                               |
| BMSP-15  | Straight Spiral Neck                               |
| BMSP-16  | Straight Spiral Neck                               |
| BMSP-22  | Straight Spiral Neck                               |
| BMSP-22L | Straight Spiral Neck                               |
| bmsp-23  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BMSP-23, | Straight Spiral Neck                               |
| BMSP-24  | Straight Spiral Neck                               |
| BMSP-25  | Straight Spiral Neck                               |
| BMSP-26  | Straight Spiral Neck                               |
| BMSP-32  | Straight Spiral Neck                               |
| BMSP-32L | Straight Spiral Neck                               |
| BMSP-33  | Straight Spiral Neck                               |
| BMSP-34  | Straight Spiral Neck                               |
| BMSP-35  | Straight Spiral Neck                               |
| BMSP-36  | Straight Spiral Neck                               |
| BMSP-42  | Straight Spiral Neck                               |
| BMSP-42L | Straight Spiral Neck                               |
| BMSP-43  | Straight Spiral Neck                               |
| BMSP-44  | Straight Spiral Neck                               |
| BMSP-45  | Straight Spiral Neck                               |
| BMSP-46  | Straight Spiral Neck                               |
| BMSP-52  | Straight Spiral Neck                               |
| BMSP-52L | Straight Spiral Neck                               |
| BMSP-53  | Straight Spiral Neck                               |
| BMSP-54  | Straight Spiral Neck                               |
| BMSP-55  | Straight Spiral Neck                               |
| BMSP-56  | Straight Spiral Neck                               |
| bnsp-04  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BNSP-04, | Straight Spiral Neck                               |
| bnsp-14  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BNSP-24  | Straight Spiral Neck                               |
| bnsp-24, | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|           |                                                                 |
|-----------|-----------------------------------------------------------------|
| BNSPB-02  | Outlet Bushings and Fittings                                    |
| BNSPB-02  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPB-02  | Straight Spiral Neck                                            |
| BNSPB-02R | Straight Spiral Neck                                            |
| BNSPB-12  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPB-12  | Straight Spiral Neck                                            |
| BNSPB-12R | Straight Spiral Neck                                            |
| BNSPB-22  | Straight Spiral Neck                                            |
| BNSPB-22R | Straight Spiral Neck                                            |
| BNSPB-32  | Straight Spiral Neck                                            |
| BNSPB-32R | Straight Spiral Neck                                            |
| BNSPB-42  | Straight Spiral Neck                                            |
| BNSPB-42R | Straight Spiral Neck                                            |
| BNSPB-52  | Straight Spiral Neck                                            |
| BNSPB-52R | Straight Spiral Neck                                            |
| BNSPC-02  | Straight Spiral Neck                                            |
| bnspc-02, | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-02R | Straight Spiral Neck                                            |
| bnspc-12  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-12, | Straight Spiral Neck                                            |
| BNSPC-12R | Straight Spiral Neck                                            |
| bnspc-22  | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BNSPC-22, | Straight Spiral Neck                                            |
| BNSPC-22R | Straight Spiral Neck                                            |
| BNSPC-32  | Straight Spiral Neck                                            |
| BNSPC-32R | Straight Spiral Neck                                            |
| BNSPC-42  | Straight Spiral Neck                                            |
| BNSPC-42R | Straight Spiral Neck                                            |
| BNSPC-52  | Straight Spiral Neck                                            |
| BNSPC-52R | Straight Spiral Neck                                            |
| BNSPD-03  | Outlet Bushings and Fittings                                    |
| BNSPD-03  | Straight Spiral Neck                                            |
| BNSPD-03  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPD-03R | Straight Spiral Neck                                            |
| BNSPD-13  | Straight Spiral Neck                                            |
| BNSPD-13  | Liquid tight flexible cord connectors,<br>straight spiral necks |
| BNSPD-13R | Straight Spiral Neck                                            |
| BNSPD-14  | Straight Spiral Neck                                            |
| BNSPD-23  | Straight Spiral Neck                                            |
| BNSPD-23R | Straight Spiral Neck                                            |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|           |                                                |
|-----------|------------------------------------------------|
| BNSPD-33  | Straight Spiral Neck                           |
| BNSPD-33R | Straight Spiral Neck                           |
| BNSPD-43  | Straight Spiral Neck                           |
| BNSPD-43R | Straight Spiral Neck                           |
| BNSPD-53  | Straight Spiral Neck                           |
| BNSPD-53R | Straight Spiral Neck                           |
| BS-04     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-05     | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-05,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-06     | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-07     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-07,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-08     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-08,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-09     | Dry locations flexible cord connectors         |
| BS-09,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-10     | Dry locations flexible cord connectors         |
| bs-10     | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-10,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-14     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-15     | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-15,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-16     | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-17     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-17,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-18     | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-18,    | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-19     | Dry locations flexible cord connectors         |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|        |                                                |
|--------|------------------------------------------------|
| BS-19, | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-20  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-20, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-25  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-25, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-26  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-27  | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-27, | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-28  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-28, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-29, | Liquid-Tight Flexible Cord Connectors-Straight |
| bs-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-30  | Dry locations flexible cord connectors         |
| BS-30, | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-45  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|         |                                                |
|---------|------------------------------------------------|
| BS-46   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-47   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-48   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-49   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-50   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-54   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-55   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-56   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-57   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-58   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-59   | Liquid-Tight Flexible Cord Connectors-Straight |
| BS-60   | Liquid-Tight Flexible Cord Connectors-Straight |
| bsp-04  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-04, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-04R | Liquid-Tight Flexible Cord Connectors-Straight |
| bsp-14  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-14, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-14R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-24  | Liquid-Tight Flexible Cord Connectors-Straight |
| bsp-24, | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-24R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-34R | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-44  | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|                 |                                                |
|-----------------|------------------------------------------------|
| BSP-44R         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-54          | Liquid-Tight Flexible Cord Connectors-Straight |
| BSP-54R         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-02         | Dry locations flexible cord connectors         |
| BSPB-02,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-02R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-12         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-12R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-22         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-22R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-32         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-32R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-42         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-42R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-52         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPB-52R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-02(3x6 mm) | Outlet Bushings and Fittings                   |
| bspc-02,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-02R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-12(3x6 mm) | Outlet Bushings and Fittings                   |
| bspc-12,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-12R        | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|                 |                                                |
|-----------------|------------------------------------------------|
| BSPC-22         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-22(2x6 mm) | Outlet Bushings and Fittings                   |
| BSPC-22(3x6 mm) | Outlet Bushings and Fittings                   |
| bspc-22,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-22R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-32         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-32R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-42         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-42R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-52         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPC-52R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-03         | Dry locations flexible cord connectors         |
| BSPD-03,        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-03R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-13         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-13R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-23         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-23R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-33         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-33R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-43         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-43R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-53         | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPD-53R        | Liquid-Tight Flexible Cord Connectors-Straight |
| BSPE-04         | Liquid-Tight Flexible Cord Connectors-Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|         |                                                    |
|---------|----------------------------------------------------|
| BSPE-14 | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSPE-24 | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSPE-34 | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSPE-44 | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSPE-54 | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-04  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-05  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-06  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-07  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-08  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-09  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-10  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-14  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-15  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-16  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-17  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-18  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-19  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-20  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-24  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-25  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-26  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-27  | Liquid-Tight Flexible Cord Connectors-<br>Straight |
| BSR-28  | Liquid-Tight Flexible Cord Connectors-<br>Straight |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|         |                                                |
|---------|------------------------------------------------|
| BSR-29  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-30  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-34  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-35  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-36  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-37  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-38  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-39  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-40  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-44  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-45  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-46  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-47  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-48  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-49  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-50  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-54  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-55  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-56  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-57  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-58  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-59  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSR-60  | Liquid-Tight Flexible Cord Connectors-Straight |
| BSRP-04 | Straight Spiral Neck                           |
| BSRP-05 | Straight Spiral Neck                           |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-31-10508002-13  
 Report reference E199260-20080501  
 Date 2025-02-21

|                                                                                                                                                                                    |                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| BSRP-06                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-14                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-15                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-16                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-24                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-25                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-26                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-34                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-35                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-36                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-44                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-45                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-46                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-54                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-55                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSRP-56                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-04                                                                                                                                                                            | Straight Spiral Neck                                            |
| bssp-05                                                                                                                                                                            | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BSSP-05,                                                                                                                                                                           | Straight Spiral Neck                                            |
| BSSP-06                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-14                                                                                                                                                                            | Straight Spiral Neck                                            |
| bssp-15                                                                                                                                                                            | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BSSP-15,                                                                                                                                                                           | Straight Spiral Neck                                            |
| BSSP-16                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-24                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-24                                                                                                                                                                            | Liquid tight flexible cord connectors,<br>straight spiral necks |
| bssp-25                                                                                                                                                                            | Liquid-Tight Flexible Cord Connectors-<br>Straight              |
| BSSP-25,                                                                                                                                                                           | Straight Spiral Neck                                            |
| BSSP-26                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-34                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-35                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-36                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-44                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-45                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-46                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-54                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-55                                                                                                                                                                            | Straight Spiral Neck                                            |
| BSSP-56                                                                                                                                                                            | Straight Spiral Neck                                            |
| <b>Series B RJ Metric</b> , No. B, followed by M, followed by RJ, may be followed by EN, followed by one number 0 to 5, followed by 3, 3(1X10MM), 5, 6 or 7, may be followed by L. |                                                                 |
| Liquid-Tight Flexible Cord Connectors                                                                                                                                              |                                                                 |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L199260-31-10508002-13  
**Report reference** E199260-20080501  
**Date** 2025-02-21

|                                                                                                                                   |                                       |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Series B RJ NPT</b> , No. B, followed by N, followed by RJ, followed by RJ, followed by one number 0 to 5, followed by 5 or 6. | Liquid-Tight Flexible Cord Connectors |
| <b>Series B RJ PG</b> , No. B, followed by S, followed by RJ, followed by RJ, followed by one number 0 to 5, followed by 5 or 6.  | Liquid-Tight Flexible Cord Connectors |



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.