

Certificate of Compliance

Certificate Number:

UL-US-L199260-22-
81903102-1

Report Reference:

E199260-20130918

Issue Date:

2025-02-24

Issued to:

BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,
Arnavutkoy, ISTANBUL, 34555, TR

This certificate confirms that representative samples of:

QCRV2 - Outlet Bushings and Fittings - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 514B, Edition 6, Issue Date 2012-07-13, Revision Date 2024-03-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-22-81903102-1
Report reference E199260-20130918
Date 2025-02-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBCVG-01	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-01L	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-02	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-0S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-01	Liquid-tight flexible cord fittings, type 4X rating
BMVG-02	Liquid-tight flexible cord fittings, type 4X rating
BMVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings
BMVG-0S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-11	Liquid-tight flexible cord fittings, type 4X rating
BMVG-12	Liquid-tight flexible cord fittings, type 4X rating
BMVG-1S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-21	Liquid-tight flexible cord fittings, type 4X rating
BMVG-22	Liquid-tight flexible cord fittings, type 4X rating
BMVG-2S	Liquid-tight flexible cord fittings, type 4X rating
BNVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings
BSBCVG-01	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-02	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-03	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-04	Liquid-tight flexible cord fittings, type 4X rating
BSVG-02	Liquid-tight flexible cord fittings, type 4X rating
BSVG-03	Liquid-tight flexible cord fittings, type 4X rating
BSVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L199260-22-81903102-1
Report reference E199260-20130918
Date 2025-02-24

BSVG-04	Liquid-tight flexible cord fittings, type 4X rating
BSVG-12	Liquid-tight flexible cord fittings, type 4X rating
BSVG-13	Liquid-tight flexible cord fittings, type 4X rating
BSVG-14	Liquid-tight flexible cord fittings, type 4X rating
BSVG-22	Liquid-tight flexible cord fittings, type 4X rating
BSVG-23	Liquid-tight flexible cord fittings, type 4X rating
BSVG-24	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-0S, -1S, -2S, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-0S, -1S, -2S, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVG-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVGS-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-03, -13, -23, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-04, -14, -24, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-03, -13, -23, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-04, -14, -24, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L199260-42-
81903102-2

Report Reference:

E199260-20130918

Issue Date:

2025-02-24

Issued to:

BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapı No:1,
Arnavutkoy, ISTANBUL, 34555, TR

This certificate confirms that representative samples of:

**QCRV8 - Outlet Bushings and Fittings Certified for Canada -
Component**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 18.3-12, Edition 2, Issue Date 2012-07-13,
Revision Date 2024-03-28**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Owner



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-42-81903102-2
Report reference E199260-20130918
Date 2025-02-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
BMBCVG-01	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-01L	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-02	Liquid-tight flexible cord fittings, type 4X rating
BMBCVG-0S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-01	Liquid-tight flexible cord fittings, type 4X rating
BMVG-02	Liquid-tight flexible cord fittings, type 4X rating
BMVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings
BMVG-0S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-11	Liquid-tight flexible cord fittings, type 4X rating
BMVG-12	Liquid-tight flexible cord fittings, type 4X rating
BMVG-1S	Liquid-tight flexible cord fittings, type 4X rating
BMVG-21	Liquid-tight flexible cord fittings, type 4X rating
BMVG-22	Liquid-tight flexible cord fittings, type 4X rating
BMVG-2S	Liquid-tight flexible cord fittings, type 4X rating
BNVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings
BSBCVG-01	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-02	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-03	Liquid-tight flexible cord fittings, type 4X rating
BSBCVG-04	Liquid-tight flexible cord fittings, type 4X rating
BSVG-02	Liquid-tight flexible cord fittings, type 4X rating
BSVG-03	Liquid-tight flexible cord fittings, type 4X rating
BSVG-03, -13, -23, -33, -43, -53	Outlet Bushings and Fittings



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L199260-42-81903102-2
Report reference E199260-20130918
Date 2025-02-24

BSVG-04	Liquid-tight flexible cord fittings, type 4X rating
BSVG-12	Liquid-tight flexible cord fittings, type 4X rating
BSVG-13	Liquid-tight flexible cord fittings, type 4X rating
BSVG-14	Liquid-tight flexible cord fittings, type 4X rating
BSVG-22	Liquid-tight flexible cord fittings, type 4X rating
BSVG-23	Liquid-tight flexible cord fittings, type 4X rating
BSVG-24	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVG-0S, -1S, -2S, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBMVGS-0S, -1S, -2S, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVG-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVGS-01, -11, -21, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBNVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-03, -13, -23, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVG-04, -14, -24, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-02, -12, -22, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-03, -13, -23, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating
HBSVGS-04, -14, -24, may be followeb by L	Liquid-tight flexible cord fittings, type 4X rating



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.