Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Outlet Bushings and Fittings - Component

COMPANY
BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapi No:1
Arnavutkoy
ISTANBUL, 34555 Turkiye

E199260

Marking: Company name or trademark

, and model designation.
Note: For additional marking information, refer to the Guide Information Page

Liquid tight flexible cord connectors, Model(s): *BSPB-22R (W)* may be followed by -L, all may be followed by (TLXX).

Liquid tight Flexible Cord connectors, Model(s): *BM-23* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BM01, BM02, BM03, BM05, BM07*

Liquid-tight flexible cord connectors, Model(s): *BMEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-E1 (M16T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-ES(M12T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-E1 (M16T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-ES(M12T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-ES* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-03* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-04* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E1(PG7T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E2* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E2(PG9T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E3(PG11T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E1(PG7T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E2* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E2(PG9T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E3(PG11T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEN-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEN-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSSE-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSSE-02* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-PAT glands, type 4X rating, Model(s): *BMOS-01, BMOS-02, BMOS-11, BMOS-12, BMOS-21, BMOS-22, BMOS-CS, BMOS-EU-02, BMOS-EU-03, BMOS-EU-04, BMOS-EU-12, BMOS-EU-13, BMOS-EU-14, BMOS-EU-22, BMOS-EU-23, BMOS-EU-24, BMOSS-01, BMOSS-02, BMOSS-11, BMOSS-12, BMOSS-21, BMOSS-22, BMOSS-EU-02, BMOSS-EU-03, BMOSS-EU-04, BMOSS-EU-12, BMOSS-EU-13, BMOSS-EU-14, BMOSS-EU-22, BMOSS-EU-23, BMOSS-EU-24, BNOS-01, BNOS-02, BNOS-11, BNOS-12, BNOS-21, BNOS-22, BNOSS-01, BNOSS-02, BNOSS-11, BNOSS-12, BNOSS-21, BNOSS-22*

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): *bm-02I*

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): *BM-25* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-01l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-11l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-12 (1xASI)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-21l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-01s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-02S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-11s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-12L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-12S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-21s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-22S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SL(W)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-32S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-42S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-52S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMEN1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMENX-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMENX-E1 (M16T)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CX5* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CX6* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CXSX5* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CXSX6* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMX-22 (2X3)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-04* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-13,* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-14* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-24* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-53* may be followed by -L, may be followed by (TLXX).

Liquid-tight flexible cord fittings, Model(s): *BSBCRJ-04*

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-01S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-0S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-ES* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-01S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-0S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-ES* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-ES (M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEN-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEN-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNENX-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNENX-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-03*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-03*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 4X rating, Model(s): *BMBCVG-01, BMBCVG-01L, BMBCVG-02, BMBCVG-0S, BMVG-01, BMVG-02, BMVG-0S, BMVG-11, BMVG-12, BMVG-1S, BMVG-21, BMVG-22, BMVG-2S, BSBCVG-01, BSBCVG-02, BSBCVG-03, BSBCVG-04, BSVG-02, BSVG-03, BSVG-04, BSVG-12, BSVG-13, BSVG-14, BSVG-22, BSVG-23, BSVG-24, HBMVG -03, -13, -23* may be followed by L, *HBMVG-01, -11, -21* may be followed by L, *HBMVG-02, -12, -22* may be followed by L, *HBMVG-0S, -1S, -2S* may be followed by L, *HBMVGS-01, -11, -21* may be followed by L, *HBMVGS-02, -12, -22* may be followed by L, *HBMVGS-0S, -1S, -2S* may be followed by L, *HBNVG-01, -11, -21, HBNVG-02, -12, -22, HBNVGS-01, -11, -21, HBNVGS-02, -12, -22, HBSVG-02, -12, -22, HBSVG-03, -13, -23, HBSVG-04, -14, -24, HBSVGS-02, -12, -22, HBSVGS-03, -13, -23, HBSVGS-04, -14, -24*

Liquid-tight flexible cord fittings, type 4X rating, Model(s): *HBMVGS -03, -13, -23* may be followed by L

Liquid-Tight Flexible Metallic Conduit Connector, "BHPSeries", Model(s): *BHP,*

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type", Model(s): *BM* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type", Model(s): *BN* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 01, may be followed by up three numbers, may be followed by L.

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type", Model(s): *BM* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 0S or 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type", Model(s): *BN* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 0S or 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Nonmetallic Conduit Connector, "BHPSeries", Model(s): *BHP*

Outlet Bushings and Fittings, Model(s): *BMOS-EU-C1, BMOS-EU-C5, BMOSS-CS, BMOSS-EU-C1, BMOSS-EU-C5, BMOSSP-C1, BMOSSP-C2, BMOSSP-CS, BMOSSP-EU-C1, BMOSSP-EU-C2, BMOSSP-EU-C3, BMOSSP-EU-C4, BMOSSPS-C1, BMOSSPS-C2, BMOSSPS-CS, BMOSSPS-EU-C1, BMOSSPS-EU-C2, BMOSSPS-EU-C3, BMOSSPS-EU-C4, BMVG-03, -13, -23, -33, -43, -53, BNVG-03, -13, -23, -33, -43, -53, BSOS-C1, BSOS-C1S, BSOS-C2, BSOS-C2S, BSOS-C3, BSOS-CS, BSOSS-C1, BSOSS-C1S, BSOSS-C2, BSOSS-C2S, BSOSS-C3, BSOSS-CS, BSOSSP-C1, BSOSSP-C1S, BSOSSP-C2, BSOSSP-C2S, BSOSSP-C3, BSOSSP-CS, BSOSSPS-C1, BSOSSPS-C1S, BSOSSPS-C2, BSOSSPS-C2S, BSOSSPS-C3, BSOSSPS-CS, BSVG-03, -13, -23, -33, -43, -53*

Outlet Bushings and Fittings, Model(s): *BMEM1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, "Plug series BMBS Type A", Model(s): *BMBS* f/b one number 0 to 5, f/b S or 1, may be f/b F, f/b (+), f/b may be f/b (V0), (TL6) or (TL10).

Outlet Bushings and Fittings, "Plug series BMBS Type B", Model(s): *BMBS* f/b one number 0 to 5, f/b 1, may be f/b F f/b (Y), f/b (+), may be f/b (V0), f/b TL10, f/b (Kanalsiz).

* - Indicates devices have Type 4X rating.

Last Updated on 2026-08-26

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Outlet Bushings and Fittings Certified for Canada - Component

COMPANY
BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapi No:1
Arnavutkoy
ISTANBUL, 34555 Turkiye

E199260

Marking: Company name or trademark "T" , model designation, and the Recognized Component Mark for Canada c RU
Note: For additional marking information, refer to the Guide Information Page

Liquid tight flexible cord connectors, Model(s): *BSPB-22R (W)* may be followed by -L, all may be followed by (TLXX).

Liquid tight Flexible Cord connectors, Model(s): *BM-23* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-E1 (M16T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEM-ES(M12T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-E1 (M16T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEMX-ES(M12T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMEN-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMENX-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-01S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-0S* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BMSE-ES* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-03* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-04* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E1(PG7T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E2* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E2(PG9T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEM-E3(PG11T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E1* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E1(PG7T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E2* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E2(PG9T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEMX-E3(PG11T)* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEN-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSEN-02* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSSE-01* may be followed by -L, all may be followed by (TLXX).

Liquid-tight flexible cord connectors, Model(s): *BSSE-02* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-PAT glands, type 4X rating, Model(s): *BMOS-01, BMOS-02, BMOS-11, BMOS-12, BMOS-21, BMOS-22, BMOS-CS, BMOS-EU-02, BMOS-EU-03, BMOS-EU-04, BMOS-EU-12, BMOS-EU-13, BMOS-EU-14, BMOS-EU-22, BMOS-EU-23, BMOS-EU-24, BMOSS-01, BMOSS-02, BMOSS-11, BMOSS-12, BMOSS-21, BMOSS-22, BMOSS-EU-02, BMOSS-EU-03, BMOSS-EU-04, BMOSS-EU-12, BMOSS-EU-13, BMOSS-EU-14, BMOSS-EU-22, BMOSS-EU-23, BMOSS-EU-24, BNOS-01, BNOS-02, BNOS-11, BNOS-12, BNOS-21, BNOS-22, BNOSS-01, BNOSS-02, BNOSS-11, BNOSS-12, BNOSS-21, BNOSS-22*

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): *bm-02l*

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): *BM-25* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BI-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BISP-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-01l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-02l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-11l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-12 (1xASI)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-12l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-21l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-22l* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-01s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-01S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-02S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-0SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-11s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-11S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-12L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-12S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-1SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-21s* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-21S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bm-en-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-22S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SL(W)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-2SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-31S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-32S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-3SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-41S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-42S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-4SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51LR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51MR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-51S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-52S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SMR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SR* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN-5SRL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BM-EN2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMEN1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMENX-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMENX-E1 (M16T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CX5* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CX6* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CXSX5* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMS-CXSX6* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-0SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-1SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bmsp-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-2SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-3SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-4SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5S* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5SL* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-5SM* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-01M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-11M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-21M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-31M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-41M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51L* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMSP-EN-51M* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BMX-22 (2X3)* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bnspa-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPA-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BNSPB-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bs-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BS-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-01R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-11R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bspa-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-21R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-31R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-41R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPA-51R* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSPB-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSR-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSRP-53* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-01* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-02* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-03* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-04* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-11* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-12* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-13* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-13,* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-14* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-21* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-22* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-23* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *bssp-24* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-31* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-32* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-33* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-41* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-42* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-43* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-51* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-52* may be followed by -L, may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors-Straight Spiral Necks, Model(s): *BSSP-53* may be followed by -L, may be followed by (TLXX).

Liquid-tight flexible cord fittings, Model(s): *BSBCRJ-04*

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-01S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-0S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBC-ES* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-01S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-0S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMBE-ES* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEM-ES (M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEMX-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-E1 (M16T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMEN-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-ES(M12T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-E1*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMSC-ES*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNBC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEM-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEMX-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEN-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNEN-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNENX-E1 (NPT3/8"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNENX-ES (NPT1/4"T)*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-01S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BNSC-0S*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBC-03*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSBE-03*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-01*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-02*, may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BSSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 4X rating, Model(s): *BMBCVG-01, BMBCVG-01L, BMBCVG-02, BMBCVG-0S, BMVG-01, BMVG-02, BMVG-0S, BMVG-11, BMVG-12, BMVG-1S, BMVG-21, BMVG-22, BMVG-2S, BSBCVG-01, BSBCVG-02, BSBCVG-03, BSBCVG-04, BSVG-02, BSVG-03, BSVG-04, BSVG-12, BSVG-13, BSVG-14, BSVG-22, BSVG-23, BSVG-24, HBMVG -03, -13, -23* may be followed by L, *HBMVG-01, -11, -21* may be followed by L, *HBMVG-02, -12, -22* may be followed by L, *HBMVG-0S, -1S, -2S* may be followed by L, *HBMVGS-01, -11, -21* may be followed by L, *HBMVGS-02, -12, -22* may be followed by L, *HBMVGS-0S, -1S, -2S* may be followed by L, *HBNVG-01, -11, -21, HBNVG-02, -12, -22, HBNVGS-01, -11, -21, HBNVGS-02, -12, -22, HBSVG-02, -12, -22, HBSVG-03, -13, -23, HBSVG-04, -14, -24, HBSVGS-02, -12, -22, HBSVGS-03, -13, -23, HBSVGS-04, -14, -24*

Liquid-tight flexible cord fittings, type 4X rating, Model(s): *HBMVGS -03, -13, -23* may be followed by L

Liquid-Tight Flexible Metallic Conduit Connector, "BHPSeries", Model(s): *BHP,*

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type", Model(s): *BM* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type", Model(s): *BN* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 01, may be followed by up three numbers, may be followed by L.

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type", Model(s): *BM* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 0S or 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type", Model(s): *BN* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 0S or 01, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Nonmetallic Conduit Connector, "BHPSeries", Model(s): *BHP*

Outlet Bushings and Fittings, Model(s): *BMOS-EU-C1, BMOS-EU-C5, BMOSS-CS, BMOSS-EU-C1, BMOSS-EU-C5, BMOSSP-C1, BMOSSP-C2, BMOSSP-CS, BMOSSP-EU-C1, BMOSSP-EU-C2, BMOSSP-EU-C3, BMOSSP-EU-C4, BMOSSPS-C1, BMOSSPS-C2, BMOSSPS-CS, BMOSSPS-EU-C1, BMOSSPS-EU-C2, BMOSSPS-EU-C3, BMOSSPS-EU-C4, BMVG-03, -13, -23, -33, -43, -53, BNVG-03, -13, -23, -33, -43, -53, BSOS-C1, BSOS-C1S, BSOS-C2, BSOS-C2S, BSOS-C3, BSOS-CS, BSOSS-C1, BSOSS-C1S, BSOSS-C2, BSOSS-C2S, BSOSS-C3, BSOSS-CS, BSOSSP-C1, BSOSSP-C1S, BSOSSP-C2, BSOSSP-C2S, BSOSSP-C3, BSOSSP-CS, BSOSSPS-C1, BSOSSPS-C1S, BSOSSPS-C2, BSOSSPS-C2S, BSOSSPS-C3, BSOSSPS-CS, BSVG-03, -13, -23, -33, -43, -53*

Outlet Bushings and Fittings, Model(s): *BMEM1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, "Plug series BMBS Type A", Model(s): *BMBS* f/b one number 0 to 5, f/b S or 1, may be f/b F, f/b (+), f/b may be f/b (V0), (TL6) or (TL10).

Outlet Bushings and Fittings, "Plug series BMBS Type B", Model(s): *BMBS* f/b one number 0 to 5, f/b 1, may be f/b F f/b (Y), f/b (+), may be f/b (V0), f/b TL10, f/b (Kanalsiz).

* - Indicates devices have Type 4X rating.

Last Updated on 2026-08-26

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."