Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Outlet Bushings and Fittings

COMPANY
BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapi No:1
Arnavutkoy
ISTANBUL, 34555 Turkiye

E199260

Trademark and/or Tradename: "T"
Note: For additional marking information, refer to the Guide Information Page

View model for additional information

Model(s): *BI-00*, *BM-00*, *BSPC-02(2x6 mm)*, *BSPC-02(3x6 mm)*, *BSPC-12(2x6 mm)*, *BSPC-12(3x6 mm)*, *BSPC-22(2x6 mm)*, *BSPC-22(3x6 mm)*

Cord Connectors, Model(s): *BNSPD-03*

Dry Location Flexible Cord connectors, Model(s): *BM-28(V0)* (alternate Cat. No. M40B)., *M40B*

Dry Location Flexible Cord connectors, Model(s): *BM-28(V0) (Φ34MM)(V0)* (alternate Cat. No. M40B(Φ34MM)).

Dry locations cord connectors, Model(s): *BNSPA-01, -11, -21*, *BNSPB-02, -12, -22*, *BNSPC-02, -12, -22*, *BNSPD-03, -13, -23*, *BSP-04, -14, -24*, *BSPA-01, -11, -21*, *BSPB-02, -12, -22*, *BSPC-02, -12, -22*, *BSPD-03, -13, 23*

Dry locations flexible cord connectors, Model(s): *BM-EN-06*, *BM-EN-07*, *BM-EN-16*, *BM-EN-17*, *BM-EN-26*, *BM-EN-27*, *BSPG-02*

Dry Locations Flexible Cord connectors, Model(s): *BM-EN-25(V0)*, *M40A*

Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables, "TBU", Model(s): *TBU*

Liquid tight flexible cord connectors, Model(s): *BM-02L*, *BM-06*, *BM-12L*, *BM-16*, *BM-22L*, *BM-EN*, *BM-EN-02*, *BM-EN-03*, *BM-EN-12*, *BM-EN-22*, *BM-EN-23*, *BSPA-01*, *BSPA-11*, *BSPA-21*

Liquid tight flexible cord connectors, straight spiral necks, Model(s): *BISP-12L*, *BMRJ-03*, *BMRJ-13*, *BMRJ-23*, *BMSP-02*, *BMSP-02L*, *BMSP-04*, *BMSP-06*, *BMSP-12*, *BMSP-12L*, *BMSP-14*, *BMSP-16*, *BMSP-22*, *BMSP-22L*, *BMSP-24*, *BMSP-26*, *BNSPB-02*, *BNSPB-12*, *BNSPD-03*, *BNSPD-13*, *BSSP-04*, *BSSP-06*, *BSSP-14*, *BSSP-16*, *BSSP-24*

Liquid tight flexible cord fittings, Model(s): *BMSC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord connectors, Model(s): *BM-44-WNL*, *NCG-1002LG*

Liquid-Tight Flexible Cord connectors, Model(s): *BM-12(3X5)* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-03 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-03S may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-04 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-04S may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-05 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-05S may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-06 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-06S may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BMEM-07 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-05 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-06 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-07 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-08 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-09 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): BSEM-10 may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors, Model(s): BCCCG-E3M2C, BCCCG-E3SM2C, BCCCG-E4M2C, BCCCG-E4SM2C, BI-03L, BI-04L, BI-07L, BI-08L, BI-09L, BI-10L, BI-13L, BI-14L, BI-17L, BI-18L, BI-19L, BI-20L, BI-23L, BI-24L, BI-27L, BI-28L, BI-29L, BI-30L, BI-33L, BI-34L, BI-37L, BI-38L, BI-39L, BI-40L, BI-43L, BI-44L, BI-47L, BI-48L, BI-49L, BI-50L, BI-53L, BI-54L, BI-57L, BI-58L, BI-59L, BI-60L, BM-03L, BM-05L, BM-06L, BM-07L, BM-08L, BM-09L, BM-13L, BM-15L, BM-16L, BM-17L, BM-18L, BM-19L, BM-23L, BM-25L, BM-26L, BM-27L, BM-28L, BM-29L, BM-33L, BM-35L, BM-36L, BM-37L, BM-38L, BM-39L, BM-43L, BM-44, BM-44-ONL, BM-45L, BM-46L, BM-47L, BM-48L, BM-49L, BM-53L, BM-55L, BM-56L, BM-57L, BM-58L, BM-59L, BM-B-52L, BM-B02L, BM-B12L, BM-B22L, BM-B32L, BM-B42L, BM-EN-04L, BM-EN-04RL, BM-EN-14L, BM-EN-14RL, BM-EN-24L, BM-EN-24RL, BM-EN-34L, BM-EN-34RL, BM-EN-44L, BM-EN-44RL, BM-EN-54L, BM-EN-54RL, BMEM-E2 (M20T), BNOS-02S, BNOS-03, BNOS-04, BNOS-12S, BNOS-13, BNOS-14, BNOS-22S, BNOS-23, BNOS-24, BNOSS-02S, BNOSS-03, BNOSS-04, BNOSS-12S, BNOSS-13, BNOSS-14, BNOSS-22S, BNOSS-23, BNOSS-24, BS-04L, BS-05L, BS-06L, BS-07L, BS-08L, BS-09L, BS-10L, BS-14L, BS-15L, BS-16L, BS-17L, BS-18L, BS-19L, BS-20L, BS-24L, BS-25L, BS-26L, BS-27L, BS-28L, BS-29L, BS-30L, BS-34L, BS-35L, BS-36L, BS-37L, BS-38L, BS-39L, BS-40L, BS-44L, BS-45L, BS-46L, BS-47L, BS-48L, BS-49L, BS-50L, BS-54L, BS-55L, BS-56L, BS-57L, BS-58L, BS-59L, BS-60L, BSN-04, BSNA-01, BSNC-02, BSND-03, BSP-04L, BSP-04RL, BSP-14L, BSP-14RL, BSP-24L, BSP-24RL, BSP-34L, BSP-34RL, BSP-44L, BSP-44RL, BSP-54L, BSP-54RL, BSPB-02L, BSPB-02RL, BSPB-12L, BSPB-12RL, BSPB-22L, BSPB-22RL, BSPB-32L, BSPB-32RL, BSPB-42L, BSPB-42RL, BSPB-52L, BSPB-52RL, BSPC-02L, BSPC-12L, BSPC-22, BSPD-03L, BSPD-03RL, BSPD-13L, BSPD-13RL, BSPD-23L, BSPD-23RL, BSPD-33L, BSPD-33RL, BSPD-43L, BSPD-43RL, BSPD-53L, BSPD-53RL, BSPE-04L, BSPE-05, BSPE-05L, BSPE-14L, BSPE-15, BSPE-15L, BSPE-24L, BSPE-25, BSPE-25L, BSPE-34L, BSPE-35, BSPE-

35L, *BSPE-44L*, *BSPE-45*, *BSPE-45L*, *BSPE-54L*, *BSPE-55*, *BSPE-55L*, *BSR-04L*, *BSR-05L*, *BSR-06L*, *BSR-07L*, *BSR-08L*, *BSR-10L*, *BSR-14L*, *BSR-15L*, *BSR-16L*, *BSR-17L*, *BSR-18L*, *BSR-20L*, *BSR-24L*, *BSR-25L*, *BSR-26L*, *BSR-27L*, *BSR-28L*, *BSR-29L*, *BSR-30L*, *BSR-34L*, *BSR-35L*, *BSR-36L*, *BSR-37L*, *BSR-38L*, *BSR-39L*, *BSR-40L*, *BSR-45L*, *BSR-46L*, *BSR-47L*, *BSR-48L*, *BSR-49L*, *BSR-50L*, *BSR-54L*, *BSR-55L*, *BSR-56L*, *BSR-57L*, *BSR-58L*, *BSR-59L*, *BSR-60L*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (35-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (36-40), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (38-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (31-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (32-40), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (34-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (TS), followed by (27-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (TS), followed by (30-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2(M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-03,* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-04,* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-08* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-09* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-10* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-10S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-04 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-05 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-06 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-07 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-08 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-09 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-10 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-04 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-05 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-06 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-07 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-08 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-09 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-10 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): BI-02, BI-02L, BI-03, BI-04, BI-05, BI-06, BI-07, BI-08, BI-09, BI-10, BI-12, BI-12L, BI-13, BI-14, BI-15, BI-16, BI-17, BI-18, BI-19, BI-20, BI-22, BI-22L, BI-23, BI-24, BI-25, BI-26, BI-27, BI-28, BI-29, BI-30, BI-32, BI-32L, BI-33, BI-34, BI-35, BI-36, BI-37, BI-38, BI-39, BI-40, BI-42, BI-42L, BI-43, BI-44, BI-45, BI-46, BI-47, BI-48, BI-49, BI-4S, BI-50, BI-52, BI-52L, BI-53, BI-54, BI-55, BI-56, BI-57, BI-58, BI-59, BI-60, BM-02, BM-02L, bm-03, BM-03,, bm-04, BM-05, BM-06, bm-07, BM-07,, BM-08, BM-09, BM-10, BM-12, BM-12L, BM-13, bm-13,, bm-14,, BM-15, BM-16, bm-17, BM-17,, BM-18, BM-19, BM-20, BM-22, BM-22L, BM-23, bm-24,, BM-25, BM-25, BM-26, BM-26, bm-27, BM-27,, BM-28, BM-29, BM-30, BM-32, BM-32L, BM-33, BM-34, BM-35, BM-36, BM-37, BM-38, BM-39, BM-40, BM-42, BM-42L, BM-43, BM-45, BM-46, BM-47, BM-48, BM-49, BM-50, BM-52, BM-52L, BM-53, BM-54, BM-55, BM-56, BM-57, BM-58, BM-59, BM-60, BM-B02, BM-B12, BM-B22, BM-B32, BM-B42, BM-B52, BM-EN-02, BM-EN-02L, BM-EN-02R, BM-EN-02RL, BM-EN-03, BM-EN-03H, BM-EN-03L, BM-EN-03R, BM-EN-03RL, BM-EN-04, BM-EN-04R, BM-EN-05, bm-en-05,, BM-EN-05L, BM-EN-05R, BM-EN-05RL, BM-EN-06,, BM-EN-06R, BM-EN-07,, BM-EN-07R, BM-EN-12, BM-EN-12L, BM-EN-12R, BM-EN-12RL, BM-EN-13, BM-EN-13H, BM-EN-13L, BM-EN-13R, BM-EN-13RL, BM-EN-14, BM-EN-14R, BM-EN-15, bm-en-15,, BM-EN-15L, BM-EN-15R, BM-EN-15RL, BM-EN-16,, BM-EN-16R, BM-EN-17,, BM-EN-17R, BM-EN-22, BM-EN-22L, BM-EN-22R, BM-EN-22RL, BM-EN-23, BM-EN-23H, BM-EN-23L, BM-EN-23R, BM-EN-23RL, BM-EN-24, BM-EN-24R, BM-EN-25, BM-EN-25L, BM-EN-25R, BM-EN-25RL, BM-EN-26,, BM-EN-26R, BM-EN-27,, BM-EN-27R, BM-EN-32, BM-EN-32L, BM-EN-32R, BM-EN-32RL, BM-EN-33, BM-EN-33H, BM-EN-33L, BM-EN-33R, BM-EN-33RL, BM-EN-34, BM-EN-34R, BM-EN-35, BM-EN-35L, BM-EN-35R, BM-EN-35RL, BM-EN-36, BM-EN-36R, BM-EN-37, BM-EN-37R, BM-EN-42, BM-EN-42L, BM-EN-42R, BM-EN-42RL, BM-EN-43, BM-EN-43H, BM-EN-43L, BM-EN-43R, BM-EN-43RL, BM-EN-44, BM-EN-44R, BM-EN-45, BM-EN-45L, BM-EN-45R, BM-EN-45RL, BM-EN-

46, BM-EN-46R, BM-EN-47, BM-EN-47R, BM-EN-4SR, BM-EN-4SRL, BM-EN-52, BM-EN-52L, BM-EN-52R, BM-EN-52RL, BM-EN-53, BM-EN-53H, BM-EN-53L, BM-EN-53R, BM-EN-53RL, BM-EN-54, BM-EN-54R, BM-EN-55, BM-EN-55L, BM-EN-55R, BM-EN-55RL, BM-EN-56, BM-EN-56R, BM-EN-57, BM-EN-57R, bmsp-03,, bmsp-13,, bmsp-23, bnsp-04, bnsp-14, bnsp-24,, BNSPB-02, bnspc-02,, bnspc-12, bnspc-22, BS-04, bs-05, BS-05,, BS-06, BS-07, bs-07,, BS-08, bs-08,, BS-09, BS-10, BS-14, bs-15, BS-15,, BS-16, BS-17, bs-17,, BS-18, bs-18,, BS-19, BS-20, BS-24, BS-25, bs-25,, BS-26, BS-27, bs-27,, BS-28, BS-29, BS-30, BS-34, BS-35, BS-36, BS-37, BS-38, BS-39, BS-40, BS-44, BS-45, BS-46, BS-47, BS-48, BS-49, BS-50, BS-54, BS-55, BS-56, BS-57, BS-58, BS-59, BS-60, bsp-04, BSP-04, BSP-04,, BSP-04R, bsp-14, BSP-14,, BSP-14R, BSP-24, bsp-24,, BSP-24R, BSP-34, BSP-34R, BSP-44, BSP-44R, BSP-54, BSP-54R, BSPB-02, BSPB-02R, BSPB-12, BSPB-12R, BSPB-22, BSPB-22R, BSPB-32, BSPB-32R, BSPB-42, BSPB-42R, BSPB-52, BSPB-52R, BSPC-02, bspc-02,, BSPC-02R, BSPC-12, bspc-12,, BSPC-12R, bspc-22,, BSPC-22R, BSPC-32, BSPC-32R, BSPC-42, BSPC-42R, BSPC-52, BSPC-52R, BSPD-03, BSPD-03R, BSPD-13, BSPD-13R, BSPD-23, BSPD-23R, BSPD-33, BSPD-33R, BSPD-43, BSPD-43R, BSPD-53, BSPD-53R, BSPE-04, BSPE-14, BSPE-24, BSPE-34, BSPE-44, BSPE-54, BSR-04, BSR-05, BSR-06, BSR-07, BSR-08, BSR-09, BSR-10, BSR-14, BSR-15, BSR-16, BSR-17, BSR-18, BSR-19, BSR-20, BSR-24, BSR-25, BSR-26, BSR-27, BSR-28, BSR-29, BSR-30, BSR-34, BSR-35, BSR-36, BSR-37, BSR-38, BSR-39, BSR-40, BSR-44, BSR-45, BSR-46, BSR-47, BSR-48, BSR-49, BSR-50, BSR-54, BSR-55, BSR-56, BSR-57, BSR-58, BSR-59, BSR-60, bssp-05, bssp-15, bssp-25

Liquid-Tight Flexible Cord Connectors, "B RJ Metric", Model(s): B,

Liquid-Tight Flexible Cord Connectors, "B RJ NPT", Model(s): B,

Liquid-Tight Flexible Cord Connectors, "B RJ PG", Model(s): B,

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC Metric", Model(s): No. B, followed by M , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC NPT", Model(s): No. B, followed by N, followed by E , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC PG", Model(s): No. B, followed by S, followed by E , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ Metric", Model(s): No. B, followed by M, followed by RJ

Liquid-Tight Flexible Cord Connectors, "Series B RJ Metric", Model(s): No. B , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ NPT", Model(s): No. B, followed by N, followed by RJ

Liquid-Tight Flexible Cord Connectors, "Series B RJ NPT", Model(s): No. B, followed by N , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ PG", Model(s): No. B, followed by S, followed by RJ

Liquid-Tight Flexible Cord Connectors, "Series B RJ PG", Model(s): No. B, followed by S , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, straight, Model(s): BS-23

Liquid-Tight Flexible Metallic Conduit Connector, "BHP Series", Model(s): BHP,

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type Series", Model(s): BM followed by HG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC Type Series", Model(s): BN followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L.

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type Series", Model(s): BM followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type Series", Model(s): BN followed by HG, followed by 1, 2, 3, 4 or 5, followed by 02, 03 or 04, may be followed by up three numbers, may be followed by

L, may be followed by (R).

Liquid-Tight Flexible Nonmetallic Conduit Connector, "BHP Series", Model(s): *BHP*

Outlet Bushings and Fittings, Model(s): *IB-RB01M02NBNE (F)*, *IB-RB02M02NBNE*

Outlet Bushings and Fittings, Model(s): *BM-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-03(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-03(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-05(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-05(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-13(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-13(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-15(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-15(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-23(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-23(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-25(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-25(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-05(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-06(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-06(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-15(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-16(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-16(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-25(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-26(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-26(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BMEM1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7 (63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BSPB-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-02(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-12(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-22(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-02(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-12(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-22(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-03(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-13(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-23(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, "Plug series BMBS Type A", Model(s): *BMBS* f/b one number 0 to 5, f/b one number 2 to 7, may be f/b F, f/b (Y), f/b (+), may be f/b (V0), f/b (TL6), (TL8) or (TL10).

Outlet Bushings and Fittings, "Plug series BMBS Type B", Model(s): *BMBS* f/b one number 0 to 5, f/b 2, may be f/b F, f/b (Y), f/b (+), may be f/b (V0), f/b TL10, f/b (Kanalsiz).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E2* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E3* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E4* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E5* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E6* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E7* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07s* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E10(PG48T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E4(PG13.5T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E5(PG16T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E6(PG21T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E7(PG29T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E8(PG36T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E9(PG42T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E10(PG48T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E4(PG13.5T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E5(PG16T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E6(PG21T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E7(PG29T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E8(PG36T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E9(PG42T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSE-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSE-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-04 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-04S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-05 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-05S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-06 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-06S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-07 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-07S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-08 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-09 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-10 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Straight Long threads, Model(s): BM-14L, BM-24L, BM-34L, BM-44L, BM-54L

Straight Long Threads, Model(s): BM-04,, BM-04L, BM-14, BM-24

Straight Spiral Neck, Model(s): BISP-02, BISP-02L, BISP-03, BISP-04, BISP-05, BISP-06, BISP-12, BISP-13, BISP-14, BISP-15, BISP-16, BISP-22, BISP-22L, BISP-23, BISP-24, BISP-25, BISP-26, BISP-32, BISP-32L, BISP-33, BISP-34, BISP-35, BISP-36, BISP-42, BISP-42L, BISP-43, BISP-44, BISP-45, BISP-46, BISP-52, BISP-52L, BISP-53, BISP-54, BISP-55, BISP-56, BMRJ-05, BMRJ-06, BMRJ-07, BMRJ-15, BMRJ-16, BMRJ-17, BMRJ-25, BMRJ-26, BMRJ-27, BMRJ-33, BMRJ-35, BMRJ-36, BMRJ-37, BMRJ-43, BMRJ-45, BMRJ-46, BMRJ-47, BMRJ-53, BMRJ-55, BMRJ-56, BMRJ-57, BMRJ-EN-03, BMRJ-EN-03L, BMRJ-EN-13, BMRJ-EN-13L, BMRJ-EN-23, BMRJ-EN-23L, BMRJ-EN-33, BMRJ-EN-33L, BMRJ-EN-43, BMRJ-EN-43L, BMRJ-EN-53, BMRJ-EN-53L, BMSP-02, BMSP-02L, BMSP-03, BMSP-04, BMSP-05, BMSP-06, BMSP-12, BMSP-12L, BMSP-13, BMSP-14, BMSP-15, BMSP-16, BMSP-22, BMSP-22L, BMSP-23,, BMSP-24, BMSP-25, BMSP-26, BMSP-32, BMSP-32L, BMSP-33, BMSP-34, BMSP-35, BMSP-36, BMSP-42, BMSP-42L, BMSP-43, BMSP-44, BMSP-45, BMSP-46, BMSP-52, BMSP-52L, BMSP-53, BMSP-54, BMSP-55, BMSP-56, BMSP-EN-02, BMSP-EN-03, BMSP-EN-03L, BMSP-EN-03R, BMSP-EN-03RL, BMSP-EN-04, BMSP-EN-04L, BMSP-EN-04R, BMSP-EN-04RL, BMSP-EN-12, BMSP-EN-13, BMSP-EN-13L, BMSP-EN-13R, BMSP-EN-13RL, BMSP-EN-14, BMSP-EN-14L, BMSP-EN-14R, BMSP-EN-14RL, BMSP-EN-22, BMSP-EN-23, BMSP-EN-23L, BMSP-EN-23R, BMSP-EN-23RL, BMSP-EN-24, BMSP-EN-24L, BMSP-EN-24R, BMSP-EN-24RL, BMSP-EN-32, BMSP-EN-33, BMSP-EN-33L, BMSP-EN-33R, BMSP-EN-33RL, BMSP-EN-34, BMSP-EN-34L, BMSP-EN-34R, BMSP-EN-34RL, BMSP-EN-42, BMSP-EN-43, BMSP-EN-43L, BMSP-EN-43R, BMSP-EN-43RL, BMSP-EN-44, BMSP-EN-44L, BMSP-EN-44R, BMSP-EN-44RL, BMSP-EN-52, BMSP-EN-53, BMSP-EN-53L, BMSP-EN-53R, BMSP-EN-53RL, BMSP-EN-54, BMSP-EN-54L, BMSP-EN-54R, BMSP-EN-54RL, BNSP-04,, BNSP-24, BNSPB-02, BNSPB-02R, BNSPB-12, BNSPB-12R, BNSPB-22, BNSPB-22R, BNSPB-32, BNSPB-32R, BNSPB-42, BNSPB-42R, BNSPB-52, BNSPB-52R, BNSPC-02, BNSPC-02R, BNSPC-12,, BNSPC-12R, BNSPC-22,, BNSPC-22R, BNSPC-32, BNSPC-32R, BNSPC-42, BNSPC-42R, BNSPC-52, BNSPC-52R, BNSPD-03, BNSPD-03R, BNSPD-13, BNSPD-13R, BNSPD-14, BNSPD-23, BNSPD-23R, BNSPD-33, BNSPD-33R, BNSPD-43, BNSPD-43R, BNSPD-53, BNSPD-53R, BSRP-04, BSRP-05, BSRP-06, BSRP-14, BSRP-15, BSRP-16, BSRP-24, BSRP-25, BSRP-26, BSRP-34, BSRP-35, BSRP-36, BSRP-44, BSRP-45, BSRP-46, BSRP-54, BSRP-55, BSRP-56, BSSP-04, BSSP-05,, BSSP-06, BSSP-14, BSSP-15,, BSSP-16, BSSP-24, BSSP-25,, BSSP-26, BSSP-34, BSSP-35, BSSP-36, BSSP-44, BSSP-45, BSSP-46, BSSP-54, BSSP-55, BSSP-56

* - Indicates devices have Type 4X rating.

Last Updated on 2026-08-26

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Outlet Bushings and Fittings Certified for Canada

COMPANY
BIMED TEKNIK ALETLER SAN TIC A S
Deliklikaya Mah. Yuzbasi Mehmet Hilmi Cad. No:28 Ic Kapi No:1
Arnavutkoy
ISTANBUL, 34555 Turkiye

E199260

Trademark and/or Tradename: "T"
Note: For additional marking information, refer to the Guide Information Page

View model for additional information

Model(s): *BI-00*, *BM-00*, *BSPC-02(2x6 mm)*, *BSPC-02(3x6 mm)*, *BSPC-12(2x6 mm)*, *BSPC-12(3x6 mm)*, *BSPC-22(2x6 mm)*, *BSPC-22(3x6 mm)*

Cord Connectors, Model(s): *BNSPD-03*

Dry Location Flexible Cord connectors, Model(s): *BM-28(V0)* (alternate Cat. No. M40B)., *M40B*

Dry Location Flexible Cord connectors, Model(s): *BM-28(V0) (Φ34MM)(V0)* (alternate Cat. No. M40B(Φ34MM)).

Dry locations cord connectors, Model(s): *BNSPA-01, -11, -21*, *BNSPB-02, -12, -22*, *BNSPC-02, -12, -22*, *BNSPD-03, -13, -23*, *BSP-04, -14, -24*, *BSPA-01, -11, -21*, *BSPB-02, -12, -22*, *BSPC-02, -12, -22*, *BSPD-03, -13, 23*

Fittings for use with liquid-tight flexible cords and sunlight resistant tray cables, "TBU", Model(s): *TBU*

Liquid tight flexible cord connectors, Model(s): *BM-02L*, *BM-06*, *BM-12L*, *BM-16*, *BM-22L*, *BM-EN-02*, *BM-EN-03*, *BM-EN-12*, *BM-EN-22*, *BM-EN-23*

Liquid tight flexible cord connectors, straight spiral necks, Model(s): *BISP-12L*, *BMRJ-03*, *BMRJ-13*, *BMRJ-23*, *BMSP-06*, *BMSP-12*, *BMSP-12L*, *BMSP-14*, *BMSP-22*, *BMSP-22L*, *BMSP-24*, *BMSP-26*, *BNSPB-02*, *BNSPB-12*, *BNSPD-03*, *BNSPD-13*, *BSSP-24*

Liquid tight flexible cord fittings, Model(s): *BMSC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord connectors, Model(s): *BM-44-WNL*

Liquid-Tight Flexible Cord connectors, Model(s): *BM-12(3X5)* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-03* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-03S* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-04* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-04S* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-05* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-05S* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-06* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-06S* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BMEM-07* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-05* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-06* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-07* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-08* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-09* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord connectors, Model(s): *BSEM-10* may be followed by -L, all may be followed by (TLXX).

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E3M2C, BCCCG-E3SM2C, BCCCG-E4M2C, BCCCG-E4SM2C, BI-03L, BI-04L, BI-07L, BI-08L, BI-09L, BI-10L, BI-13L, BI-14L, BI-17L, BI-18L, BI-19L, BI-20L, BI-23L, BI-24L, BI-27L, BI-28L, BI-29L, BI-30L, BI-33L, BI-34L, BI-37L, BI-38L, BI-39L, BI-40L, BI-43L, BI-44L, BI-47L, BI-48L, BI-49L, BI-50L, BI-53L, BI-54L, BI-57L, BI-58L, BI-59L, BI-60L, BM-03L, BM-05L, BM-06L, BM-07L, BM-08L, BM-09L, BM-13L, BM-15L, BM-16L, BM-17L, BM-18L, BM-19L, BM-23L, BM-25L, BM-26L, BM-27L, BM-28L, BM-29L, BM-33L, BM-35L, BM-36L, BM-37L, BM-38L, BM-39L, BM-43L, BM-44, BM-44-ONL, BM-45L, BM-46L, BM-47L, BM-48L, BM-49L, BM-53L, BM-55L, BM-56L, BM-57L, BM-58L, BM-59L, BM-B-52L, BM-B02L, BM-B12L, BM-B22L, BM-B32L, BM-B42L, BM-EN-04L, BM-EN-04RL, BM-EN-14L, BM-EN-14RL, BM-EN-24L, BM-EN-24RL, BM-EN-34L, BM-EN-34RL, BM-EN-44L, BM-EN-44RL, BM-EN-54L, BM-EN-54RL, BNOS-02S, BNOS-03, BNOS-04, BNOS-12S, BNOS-13, BNOS-14, BNOS-22S, BNOS-23, BNOS-24, BNOSS-02S, BNOSS-03, BNOSS-04, BNOSS-12S, BNOSS-13, BNOSS-14, BNOSS-22S, BNOSS-23, BNOSS-24, BS-04L, BS-05L, BS-06L, BS-07L, BS-08L, BS-09L, BS-10L, BS-14L, BS-15L, BS-16L, BS-17L, BS-18L, BS-19L, BS-20L, BS-24L, BS-25L, BS-26L, BS-27L, BS-28L, BS-29L, BS-30L, BS-34L, BS-35L, BS-36L, BS-37L, BS-38L, BS-39L, BS-40L, BS-44L, BS-45L, BS-46L, BS-47L, BS-48L, BS-49L, BS-50L, BS-54L, BS-55L, BS-56L, BS-57L, BS-58L, BS-59L, BS-60L, BSN-04, BSNA-01, BSNC-02, BSND-03, BSP-04L, BSP-04RL, BSP-14L, BSP-14RL, BSP-24L, BSP-24RL, BSP-34L, BSP-34RL, BSP-44L, BSP-44RL, BSP-54L, BSP-54RL, BSPB-02L, BSPB-02RL, BSPB-12L, BSPB-12RL, BSPB-22L, BSPB-22RL, BSPB-32L, BSPB-32RL, BSPB-42L, BSPB-42RL, BSPB-52L, BSPB-52RL, BSPC-02L, BSPC-12L, BSPC-22, BSPD-03L, BSPD-03RL, BSPD-13L, BSPD-13RL, BSPD-23L, BSPD-23RL, BSPD-33L, BSPD-33RL, BSPD-43L, BSPD-43RL, BSPD-53L, BSPD-53RL, BSPE-04L, BSPE-05, BSPE-05L, BSPE-14L, BSPE-15, BSPE-15L, BSPE-24L, BSPE-25, BSPE-25L, BSPE-34L, BSPE-35, BSPE-35L, BSPE-44L, BSPE-45, BSPE-45L, BSPE-54L, BSPE-55, BSPE-55L, BSR-04L, BSR-05L, BSR-06L, BSR-07L, BSR-08L, BSR-10L, BSR-14L, BSR-15L, BSR-16L, BSR-17L, BSR-18L, BSR-20L, BSR-24L, BSR-25L, BSR-26L, BSR-27L, BSR-28L, BSR-29L, BSR-30L, BSR-34L, BSR-35L, BSR-36L, BSR-37L, BSR-38L, BSR-39L, BSR-40L, BSR-45L, BSR-46L, BSR-47L, BSR-48L, BSR-49L, BSR-50L, BSR-54L, BSR-55L, BSR-56L, BSR-57L, BSR-58L, BSR-59L, BSR-60L*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (35-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (36-40), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (38-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (31-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (32-40), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (DS), followed by (34-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (TS), followed by (27-39), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BCCCG-E6SN followed by BNC, AC, ABAC OR XC, followed by (TS), followed by (30-42), may be followed by (LF).*

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-07S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2(M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-03S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-04S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-05S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-06S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-07S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-03,* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-04,* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E7 (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNEN-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E2 (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E2S (NPT1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E3 (NPT3/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E4 (NPT1"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E5 (NPT1 1/4"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E6 (NPT1 1/2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNENX-E7L (NPT2"T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-02* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-02S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-03* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-07* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-08* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-09* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-10* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-10S-DS(GC)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-04* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-05* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-06 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-07 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-08 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-09 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSBE-10 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-04 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-05 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-06 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-07 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-08 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-09 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, Model(s): BSSC-10 , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors-Straight, Model(s): BI-02, BI-02L, BI-03, BI-04, BI-05, BI-06, BI-07, BI-08, BI-09, BI-10, BI-12, BI-12L, BI-13, BI-14, BI-15, BI-16, BI-17, BI-18, BI-19, BI-20, BI-22, BI-22L, BI-23, BI-24, BI-25, BI-26, BI-27, BI-28, BI-29, BI-30, BI-32, BI-32L, BI-33, BI-34, BI-35, BI-36, BI-37, BI-38, BI-39, BI-40, BI-42, BI-42L, BI-43, BI-44, BI-45, BI-46, BI-47, BI-48, BI-49, BI-4S, BI-50, BI-52, BI-52L, BI-53, BI-54, BI-55, BI-56, BI-57, BI-58, BI-59, BI-60, BM-02, BM-02L, bm-03, BM-03,, bm-04, BM-05, BM-06, bm-07, BM-07,, BM-08, BM-09, BM-10, BM-12, BM-12L, BM-13, bm-13,, bm-14,, BM-15, BM-16, bm-17, BM-17,, BM-18, BM-19, BM-20, BM-22, BM-22L, BM-23, bm-24,, BM-25, BM-25, BM-26, BM-26, bm-27, BM-27,, BM-28, BM-29, BM-30, BM-32, BM-32L, BM-33, BM-34, BM-35, BM-36, BM-37, BM-38, BM-39, BM-40, BM-42, BM-42L, BM-43, BM-45, BM-46, BM-47, BM-48, BM-49, BM-50, BM-52, BM-52L, BM-53, BM-54, BM-55, BM-56, BM-57, BM-58, BM-59, BM-60, BM-B02, BM-B12, BM-B22, BM-B32, BM-B42, BM-B52, BM-EN-02, BM-EN-02L, BM-EN-02R, BM-EN-02RL, BM-EN-03, BM-EN-03H, BM-EN-03L, BM-EN-03R, BM-EN-03RL, BM-EN-04, BM-EN-04R, BM-EN-05, bm-en-05,, BM-EN-05L, BM-EN-05R, BM-EN-05RL, BM-EN-06,, BM-EN-06R, BM-EN-07,, BM-EN-07R, BM-EN-12, BM-EN-12L, BM-EN-12R, BM-EN-12RL, BM-EN-13, BM-EN-13H, BM-EN-13L, BM-EN-13R, BM-EN-13RL, BM-EN-14, BM-EN-14R, BM-EN-15, bm-en-15,, BM-EN-15L, BM-EN-15R, BM-EN-15RL, BM-EN-16,, BM-EN-16R, BM-EN-17,, BM-EN-17R, BM-EN-22, BM-EN-22L, BM-EN-22R, BM-EN-22RL, BM-EN-23, BM-EN-23H, BM-EN-23L, BM-EN-23R, BM-EN-23RL, BM-EN-24, BM-EN-24R, BM-EN-25, BM-EN-25L, BM-EN-25R, BM-EN-25RL, BM-EN-26,, BM-EN-26R, BM-EN-27,, BM-EN-27R, BM-EN-32, BM-EN-32L, BM-EN-32R, BM-EN-32RL, BM-EN-33, BM-EN-33H, BM-EN-33L, BM-EN-33R, BM-EN-33RL, BM-EN-34, BM-EN-34R, BM-EN-35, BM-EN-35L, BM-EN-35R, BM-EN-35RL, BM-EN-36, BM-EN-36R, BM-EN-37, BM-EN-37R, BM-EN-42, BM-EN-42L, BM-EN-42R, BM-EN-42RL, BM-EN-43, BM-EN-43H, BM-EN-43L, BM-EN-43R, BM-EN-43RL, BM-EN-44, BM-EN-44R, BM-EN-45, BM-EN-45L, BM-EN-45R, BM-EN-45RL, BM-EN-46, BM-EN-46R, BM-EN-47, BM-EN-47R, BM-EN-4SR, BM-EN-4SRL, BM-EN-52, BM-EN-52L, BM-EN-52R, BM-EN-52RL, BM-EN-53, BM-EN-53H, BM-EN-53L, BM-EN-53R, BM-EN-53RL, BM-EN-54, BM-EN-54R, BM-EN-55, BM-EN-55L, BM-EN-55R, BM-EN-55RL, BM-EN-56, BM-EN-56R, BM-EN-57, BM-EN-57R, bmsp-03,, bmsp-13,, bmsp-23, bnsp-04, bnsp-14, bnsp-24,, BNSPB-02, bnspc-02,, bnspc-12, bnspc-22, BS-04, bs-05, BS-05,, BS-06, BS-07, bs-07,, BS-08, bs-08,, BS-09, BS-10, BS-14, bs-15, BS-15,, BS-16, BS-17, bs-17,, BS-18, bs-18,, BS-19, BS-20, BS-24, BS-25, bs-25,, BS-

26, *BS-27*, *bs-27,*, *BS-28*, *BS-29*, *BS-30*, *BS-34*, *BS-35*, *BS-36*, *BS-37*, *BS-38*, *BS-39*, *BS-40*, *BS-44*, *BS-45*, *BS-46*, *BS-47*, *BS-48*, *BS-49*, *BS-50*, *BS-54*, *BS-55*, *BS-56*, *BS-57*, *BS-58*, *BS-59*, *BS-60*, *bsp-04*, *BSP-04*, *BSP-04,*, *BSP-04R*, *bsp-14*, *BSP-14,*, *BSP-14R*, *BSP-24*, *bsp-24,*, *BSP-24R*, *BSP-34*, *BSP-34R*, *BSP-44*, *BSP-44R*, *BSP-54*, *BSP-54R*, *BSPB-02*, *BSPB-02R*, *BSPB-12*, *BSPB-12R*, *BSPB-22*, *BSPB-22R*, *BSPB-32*, *BSPB-32R*, *BSPB-42*, *BSPB-42R*, *BSPB-52*, *BSPB-52R*, *BSPC-02*, *bspc-02,*, *BSPC-02R*, *BSPC-12*, *bspc-12,*, *BSPC-12R*, *bspc-22,*, *BSPC-22R*, *BSPC-32*, *BSPC-32R*, *BSPC-42*, *BSPC-42R*, *BSPC-52*, *BSPC-52R*, *BSPD-03*, *BSPD-03R*, *BSPD-13*, *BSPD-13R*, *BSPD-23*, *BSPD-23R*, *BSPD-33*, *BSPD-33R*, *BSPD-43*, *BSPD-43R*, *BSPD-53*, *BSPD-53R*, *BSPE-04*, *BSPE-14*, *BSPE-24*, *BSPE-34*, *BSPE-44*, *BSPE-54*, *BSR-04*, *BSR-05*, *BSR-06*, *BSR-07*, *BSR-08*, *BSR-09*, *BSR-10*, *BSR-14*, *BSR-15*, *BSR-16*, *BSR-17*, *BSR-18*, *BSR-19*, *BSR-20*, *BSR-24*, *BSR-25*, *BSR-26*, *BSR-27*, *BSR-28*, *BSR-29*, *BSR-30*, *BSR-34*, *BSR-35*, *BSR-36*, *BSR-37*, *BSR-38*, *BSR-39*, *BSR-40*, *BSR-44*, *BSR-45*, *BSR-46*, *BSR-47*, *BSR-48*, *BSR-49*, *BSR-50*, *BSR-54*, *BSR-55*, *BSR-56*, *BSR-57*, *BSR-58*, *BSR-59*, *BSR-60*, *bssp-05*, *bssp-15*, *bssp-25*

Liquid-Tight Flexible Cord Connectors, "B RJ Metric", Model(s): *B,*

Liquid-Tight Flexible Cord Connectors, "B RJ NPT", Model(s): *B,*

Liquid-Tight Flexible Cord Connectors, "B RJ PG", Model(s): *B,*

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC Metric", Model(s): *No. B, followed by M* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC NPT", Model(s): *No. B, followed by N, followed by E* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ EMC PG", Model(s): *No. B, followed by S, followed by E* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ Metric", Model(s): *No. B, followed by M, followed by RJ*

Liquid-Tight Flexible Cord Connectors, "Series B RJ Metric", Model(s): *No. B* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ NPT", Model(s): *No. B, followed by N, followed by RJ*

Liquid-Tight Flexible Cord Connectors, "Series B RJ NPT", Model(s): *No. B, followed by N* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Cord Connectors, "Series B RJ PG", Model(s): *No. B, followed by S, followed by RJ*

Liquid-Tight Flexible Cord Connectors, "Series B RJ PG", Model(s): *No. B, followed by S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, straight, Model(s): *BS-23*

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating, Model(s): *BMENX-E1 (M16T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Liquid-Tight Flexible Metallic Conduit Connector, "BHP Series", Model(s): *BHP,*

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type Series", Model(s): *BM* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC Type Series", Model(s): *BN* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L.

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type Series", Model(s): *BM* followed by EHG, followed by 1, 2, 3, 4 or 5, followed by 02 or 03, may be followed by up three numbers, may be followed by L, may be followed by (R).

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type Series", Model(s): *BN* followed by HG, followed by 1, 2, 3, 4 or 5, followed by 02, 03 or 04, may be followed by up three numbers, may be followed by

L, may be followed by (R).

Liquid-Tight Flexible Nonmetallic Conduit Connector, "BHP Series", Model(s): *BHP*

Outlet Bushings and Fittings, Model(s): *IB-RB01M02NBNE (F), IB-RB02M02NBNE*

Outlet Bushings and Fittings, Model(s): *BM-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-03(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-03(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-05(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-05(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-13(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-13(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-15(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-15(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-23(4x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-23(6x4mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-25(4x6.6mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-25(4X7 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-04(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-05(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-06(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-06(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-14(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-15(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-16(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-16(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(3x8 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(4x5.55mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-24(4x7.25mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-25(4x7.15mm+2x1.25 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-26(1x7.1mm+4x6.2mm+5x5.2mm+1x10.8mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BM-EN-26(6x3.6mm+1x7.9mm+1x7.2mm+1x9.2mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BMEM1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEM1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEMX1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7 (63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-01* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E1* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMEN1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2 (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E2S (M20T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E3 (M25T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E4 (M32T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E5* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E5 (M40T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E6* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E6 (M50T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7 (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX-E7L (M63T)* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E2S* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E3* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BMENX1-E4* , may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Model(s): *BSPB-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-02(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-12(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPB-22(3X5 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-02(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-02(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-12(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-12(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-22(2x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPC-22(3x6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-03(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-13(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, Model(s): *BSPDX-23(4X6.6 mm)* may be followed by -L, all may be followed by (TLXX).

Outlet Bushings and Fittings, "Plug series BMBS Type A", Model(s): *BMBS* f/b one number 0 to 5, f/b one number 2 to 7, may be f/b F, f/b (Y), f/b (+), may be f/b (V0), f/b (TL6), (TL8) or (TL10).

Outlet Bushings and Fittings, "Plug series BMBS Type B", Model(s): *BMBS* f/b one number 0 to 5, f/b 2, may be f/b F, f/b (Y), f/b (+), may be f/b (V0), f/b TL10, f/b (Kanalsiz).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBC-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMBE-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEM-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEMX-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMEN-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMENX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSC-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-02* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E2* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E2S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E3* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E4* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E5* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E6* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BMSE-E7* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-07s* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNBC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-02S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BNSC-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSBE-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E10(PG48T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E4(PG13.5T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E5(PG16T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E6(PG21T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E7(PG29T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E8(PG36T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEM-E9(PG42T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E10(PG48T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E4(PG13.5T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E5(PG16T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E6(PG21T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E7(PG29T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E8(PG36T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEMX-E9(PG42T)* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSEN-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-04* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-05* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-07* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-08* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-09* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSENX-10* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-03* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-03S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-04S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-05S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-06* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-06S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): *BSSC-07S* may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-03 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-03S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-04 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-04S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-05 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-05S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-06 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-06S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-07 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-07S may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-08 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-09 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Outlet Bushings and Fittings, Liquid-Tight Flexible Cord Connectors, Model(s): BSSE-10 may be followed by (LF), may be followed by L, may be followed by (TLxx).

Straight Long threads, Model(s): BM-14L, BM-24L, BM-34L, BM-44L, BM-54L

Straight Long Threads, Model(s): BM-04,, BM-04L, BM-14, BM-24

Straight Spiral Neck, Model(s): BISP-02, BISP-02L, BISP-03, BISP-04, BISP-05, BISP-06, BISP-12, BISP-13, BISP-14, BISP-15, BISP-16, BISP-22, BISP-22L, BISP-23, BISP-24, BISP-25, BISP-26, BISP-32, BISP-32L, BISP-33, BISP-34, BISP-35, BISP-36, BISP-42, BISP-42L, BISP-43, BISP-44, BISP-45, BISP-46, BISP-52, BISP-52L, BISP-53, BISP-54, BISP-55, BISP-56, BMRJ-05, BMRJ-06, BMRJ-07, BMRJ-15, BMRJ-16, BMRJ-17, BMRJ-25, BMRJ-26, BMRJ-27, BMRJ-33, BMRJ-35, BMRJ-36, BMRJ-37, BMRJ-43, BMRJ-45, BMRJ-46, BMRJ-47, BMRJ-53, BMRJ-55, BMRJ-56, BMRJ-57, BMRJ-EN-03, BMRJ-EN-03L, BMRJ-EN-13, BMRJ-EN-13L, BMRJ-EN-23, BMRJ-EN-23L, BMRJ-EN-33, BMRJ-EN-33L, BMRJ-EN-43, BMRJ-EN-43L, BMRJ-EN-53, BMRJ-EN-53L, BMSP-02, BMSP-02L, BMSP-03, BMSP-04, BMSP-05, BMSP-06, BMSP-12, BMSP-12L, BMSP-13, BMSP-14, BMSP-15, BMSP-16, BMSP-22, BMSP-22L, BMSP-23,, BMSP-24, BMSP-25, BMSP-26, BMSP-32, BMSP-32L, BMSP-33, BMSP-34, BMSP-35, BMSP-36, BMSP-42, BMSP-42L, BMSP-43, BMSP-44, BMSP-45, BMSP-46, BMSP-52, BMSP-52L, BMSP-53, BMSP-54, BMSP-55, BMSP-56, BMSP-EN-02, BMSP-EN-03, BMSP-EN-03L, BMSP-EN-03R, BMSP-EN-03RL, BMSP-EN-04, BMSP-EN-04L, BMSP-EN-04R, BMSP-EN-04RL, BMSP-EN-12, BMSP-EN-13, BMSP-EN-13L, BMSP-EN-13R, BMSP-EN-13RL, BMSP-EN-14, BMSP-EN-14L, BMSP-EN-14R, BMSP-EN-14RL, BMSP-EN-22, BMSP-EN-23, BMSP-EN-23L, BMSP-EN-23R, BMSP-EN-23RL, BMSP-EN-24, BMSP-EN-24L, BMSP-EN-24R, BMSP-EN-24RL, BMSP-EN-32, BMSP-EN-33, BMSP-EN-33L, BMSP-EN-33R, BMSP-EN-33RL, BMSP-EN-34, BMSP-EN-34L, BMSP-EN-34R, BMSP-EN-34RL, BMSP-EN-42, BMSP-EN-43, BMSP-EN-43L, BMSP-EN-43R, BMSP-EN-43RL, BMSP-EN-44, BMSP-EN-44L, BMSP-EN-44R, BMSP-EN-44RL, BMSP-EN-52, BMSP-EN-53, BMSP-EN-53L, BMSP-EN-53R, BMSP-EN-53RL, BMSP-EN-54, BMSP-EN-54L, BMSP-EN-54R, BMSP-EN-54RL, BNSP-04,, BNSP-24, BNSPB-02, BNSPB-02R, BNSPB-12, BNSPB-12R, BNSPB-22, BNSPB-22R, BNSPB-32, BNSPB-32R, BNSPB-42, BNSPB-42R, BNSPB-52, BNSPB-52R, BNSPC-02, BNSPC-02R, BNSPC-12,, BNSPC-12R, BNSPC-22,, BNSPC-22R, BNSPC-32, BNSPC-32R, BNSPC-42, BNSPC-

42R, *BNSPC-52*, *BNSPC-52R*, *BNSPD-03*, *BNSPD-03R*, *BNSPD-13*, *BNSPD-13R*, *BNSPD-14*, *BNSPD-23*, *BNSPD-23R*, *BNSPD-33*, *BNSPD-33R*, *BNSPD-43*, *BNSPD-43R*, *BNSPD-53*, *BNSPD-53R*, *BSRP-04*, *BSRP-05*, *BSRP-06*, *BSRP-14*, *BSRP-15*, *BSRP-16*, *BSRP-24*, *BSRP-25*, *BSRP-26*, *BSRP-34*, *BSRP-35*, *BSRP-36*, *BSRP-44*, *BSRP-45*, *BSRP-46*, *BSRP-54*, *BSRP-55*, *BSRP-56*, *BSSP-04*, *BSSP-05*,, *BSSP-06*, *BSSP-14*, *BSSP-15*,, *BSSP-16*, *BSSP-24*, *BSSP-25*,, *BSSP-26*, *BSSP-34*, *BSSP-35*, *BSSP-36*, *BSSP-44*, *BSSP-45*, *BSSP-46*, *BSSP-54*, *BSSP-55*, *BSSP-56*

* - Indicates devices have Type 4X rating.

Last Updated on 2026-08-26

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."